



**PURE VANS**

**Telephone - 01633-212944**

**Email - sales@purevans.com**

**[www.purevans.com](http://www.purevans.com)**



## CITROËN RELAY

CONVERSION PLATFORMS AND READY TO RUN CONVERSIONS  
PRICES, EQUIPMENT AND TECHNICAL SPECIFICATION

Version 2 - October 2019



**CITROËN RELAY**  
CONVERSION PLATFORMS

INSPIRED BY YOU

## 1.1 CHOOSE YOUR RELAY CONVERSION PLATFORM

### PLUS

#### Comfort & Convenience

Air conditioning



#### Conversion Equipment

Extended wiring at rear of vehicle

Trifunction aerial in wing mirror

Heavy duty rear reinforced suspension (chassis cab and chassis crew cab only)

Wider door mirrors allowing a 2200mm body width



CHASSIS CAB

### X

#### Comfort & Convenience

Front electric windows

Twin lens door mirrors with electrically adjustable and heated upper mirror

12v socket in cabin

Full size steel spare wheel

Reach adjustable steering wheel

Two cupholders with mobile phone storage in centre of lower dashboard

#### Safety & Security

ABS braking including EBA and EBSD

Remote central locking with deadlocking

Daytime running lights

Driver airbag

#### Seating

Driver's seat with height, rake and reach adjustment

Dual passenger bench seat

Four seat rear bench with 3-point seatbelts to outer seats, lap belts to inner seats (crew cab only)

#### Technology & Entertainment

DAB radio with Bluetooth® handsfree, USB socket and steering wheel mounted controls

Telematics box for Free2Move Connect Fleet Services

#### Conversion Equipment

Conversion interface box

Backless cab (floor cab only)



CHASSIS CREW CAB



FLOOR CAB



BACK TO BACK CAB

In addition to X

2.1 CHOOSE YOUR RELAY CONVERSION PLATFORM

| Chassis Type     | Length | Version  | HP  | Gross Vehicle Weight (kg) | CO <sub>2</sub> g/km | MY | LCDV Code        | Basic M.R.R.P. | V.A.T. | Total M.R.R.P. | On The Road M.R.R.P. |
|------------------|--------|--|-----|---------------------------|----------------------|----|------------------|----------------|--------|----------------|----------------------|
| Chassis Cab      | L2     | Relay 35 BlueHDi 140 S&S 6-speed manual Chassis Cab X          | 140 | 3500                      | 186                  | 19 | 2CU94FHNGK70A0D0 | £26,005        | £5,201 | £31,206        | £32,291              |
|                  | L2     | Relay 35 BlueHDi 165 S&S 6-speed manual Chassis Cab Plus       | 165 | 3500                      | 186                  | 19 | 2CU94FHNHK70A0D0 | £27,005        | £5,401 | £32,406        | £33,491              |
|                  | L3     | Relay 35 BlueHDi 140 S&S 6-speed manual Chassis Cab X          | 140 | 3500                      | 186                  | 19 | 2CU96FHNGK70A0D0 | £26,605        | £5,321 | £31,926        | £33,011              |
|                  | L3     | Relay 35 BlueHDi 165 S&S 6-speed manual Chassis Cab Plus       | 165 | 3500                      | 186                  | 19 | 2CU96FHNHK70A0D0 | £27,605        | £5,521 | £33,126        | £34,211              |
|                  | L4     | Relay 35 Heavy BlueHDi 165 S&S 6-speed manual Chassis Cab Plus | 165 | 3500                      | 186                  | 19 | 2CU98GHNHK70A0D0 | £28,405        | £5,681 | £34,086        | £35,171              |
| Chassis Crew Cab | L3     | Relay 35 BlueHDi 140 S&S 6-speed manual Chassis Crew Cab X     | 140 | 3500                      | 186                  | 19 | 2CU96XHNGK70A0D0 | £27,855        | £5,571 | £33,426        | £34,511              |
|                  | L3     | Relay 35 BlueHDi 165 S&S 6-speed manual Chassis Crew Cab Plus  | 165 | 3500                      | 186                  | 19 | 2CU96XHNHK70A0D0 | £28,855        | £5,771 | £34,626        | £35,711              |
| Floor Cab        | L3     | Relay 35 BlueHDi 140 S&S 6-speed manual Floor Cab X            | 140 | 3500                      | 186                  | 19 | 2CU96QHNGK70A0D0 | £26,605        | £5,321 | £31,926        | £33,011              |
|                  | L3     | Relay 35 BlueHDi 165 S&S 6-speed manual Floor Cab Plus         | 165 | 3500                      | 186                  | 19 | 2CU96QHNHK70A0D0 | £27,605        | £5,521 | £33,126        | £34,211              |
| Back to Back     | N/A    | Relay 35 BlueHDi 140 S&S 6-speed manual Back to Back Cab X     | 140 | 3500                      | 186                  | 19 | 2CU90FHNGK70A0D0 | £25,380        | £5,076 | £30,456        | £31,541              |
|                  | N/A    | Relay 35 BlueHDi 165 S&S 6-speed manual Back to Back Cab Plus  | 165 | 3500                      | 186                  | 19 | 2CU90FHNHK70A0D0 | £26,380        | £5,276 | £31,656        | £32,741              |

### 3.1 CHOOSE YOUR PAINT COLOUR & UPHOLSTERY

| SOLID COLOURS |              |               |              |
|---------------|--------------|---------------|--------------|
| Polar White   | Pacific Blue | Imperial Blue | Tizziano Red |
| P0WP          | P05V         | P04P          | P01X         |
| •             | •            | •             | •            |



Polar White



Pacific Blue



Imperial Blue



Tizziano Red

### 3.2 WHEELS

#### STANDARD STEEL WHEELS

Tyres: 215/70 R15 C



'35' versions

#### STANDARD STEEL WHEELS

Tyres: 215/75 R16 C



35 Heavy version

#### 15" WHEEL TRIMS

Tyres: 215/70 R15 C



'35' versions

#### 16" WHEEL TRIMS

Tyres: 215/75 R16 C



35 Heavy version

#### 15" ALLOY WHEELS

Tyres: 215/70 R15 C



'35' versions

#### 16" ALLOY WHEELS

Tyres: 215/75 R16 C



35 Heavy version

### 3.3 TRIMS



All versions

Magnet' trim - dark grey cloth with black and red twill  
35FX / Z6FX

4.1 CHOOSE YOUR EQUIPMENT FOR YOUR RELAY CONVERSION PLATFORM

| EQUIPMENT   | CHASSIS CAB<br>X | CHASSIS CAB<br>PLUS | CHASSIS CREW CAB<br>X | CHASSIS CREW CAB<br>PLUS | FLOOR CAB<br>X | FLOOR CAB<br>PLUS | BACK TO BACK<br>X | BACK TO BACK<br>PLUS |
|---|------------------|---------------------|-----------------------|--------------------------|----------------|-------------------|-------------------|----------------------|
| <b>TECHNOLOGY &amp; ENTERTAINMENT</b>   |                  |                     |                       |                          |                |                   |                   |                      |
| Telematics box for Free2Move Connect Fleet services                                       | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| DAB radio with with steering mounted controls, Bluetooth® handsfree and USB socket        | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Trifunction aerial in door mirror   | -                | ●                   | -                     | ●                        | -              | ●                 | -                 | ●                    |
| <b>COMFORT AND CONVENIENCE</b>  |                  |                     |                       |                          |                |                   |                   |                      |
| Variable assisted power steering  | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Gear shift indicator  | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Twin lens door mirrors with electrically adjustable and heated upper mirror               | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Electric front windows  | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Reach adjustable steering wheel   | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Manual air-conditioning for cab area, including glovebox                                  | ○                | ●                   | ○                     | ●                        | ○              | ●                 | ○                 | ●                    |
| <b>SAFETY &amp; SECURITY</b>  |                  |                     |                       |                          |                |                   |                   |                      |
| ABS   | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Electronic Stability Control (ESC)  | ●                | ●                   | ●                     | ●                        | ●              | ●                 | -                 | -                    |
| Emergency Braking Assistance  | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| EBFD (Electronic Brake Force Distribution)  | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Thatcham rolling transponder immobiliser  | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Oil level indicator   | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Driver's airbag   | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Full size steel spare wheel   | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Three x3 point inertia reel, height adjustable seatbelts (Two with single passenger seat) | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Deadlocks   | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| High frequency remote control central locking with 2-button plip                          | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Visible Vehicle Identification Number (at base of windscreen)                             | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| <b>LIGHTING &amp; VISIBILITY</b>  |                  |                     |                       |                          |                |                   |                   |                      |
| Halogen headlights with clear polycarbonate lenses  | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| 2 speed, intermittent front windscreen wipers   | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Remote headlight adjustment from fascia   | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Tinted windows  | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Laminated windscreen  | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Manually folding door mirrors   | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |

● Standard ○ Optional at extra cost

| EQUIPMENT   | CHASSIS CAB<br>X | CHASSIS CAB<br>PLUS | CHASSIS CREW CAB<br>X | CHASSIS CREW CAB<br>PLUS | FLOOR CAB<br>X | FLOOR CAB<br>PLUS | BACK TO BACK<br>X | BACK TO BACK<br>PLUS |
|---|------------------|---------------------|-----------------------|--------------------------|----------------|-------------------|-------------------|----------------------|
| <b>SEATING</b>  |                  |                     |                       |                          |                |                   |                   |                      |
| Driver's seat height adjustment   | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Front door armrests   | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Passenger bench seat  | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Four seat bench in row 2 with 3-point seatbelts to outer seats, lap belts to inner seats  | -                | -                   | ●                     | ●                        | -              | -                 | -                 | -                    |
| Non slip hardwearing front cabin floor covering   | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| <b>INTERIOR STYLE &amp; STORAGE</b>   |                  |                     |                       |                          |                |                   |                   |                      |
| Two cup holders and mobile phone storage in centre of lower dashboard   | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Lockable, non-illuminated glove box   | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| 12v socket in cabin   | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| <b>INSTRUMENTS</b>  |                  |                     |                       |                          |                |                   |                   |                      |
| Rev counter, water temperature gauge, fuel gauge and trip computer  | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Battery charge warning  | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Bulb out warning for side light, headlamp and indicators  | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Lights on alarm   | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Door open warning for cab doors   | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| <b>CONVERTER EQUIPMENT</b>  |                  |                     |                       |                          |                |                   |                   |                      |
| Backless Cab  | ○                | ○                   | -                     | -                        | ●              | ●                 | ○                 | ○                    |
| Electrical connections interface box<br>- Only for use for electrical connections for integral elements of a vehicle conversion | ●                | ●                   | ●                     | ●                        | ●              | ●                 | ●                 | ●                    |
| Extended wiring at rear of vehicle  | ○                | ●                   | ○                     | ●                        | ○              | ●                 | ○                 | ●                    |
| Heavy duty rear reinforced twin-leaf suspension   | ○                | ●                   | ○                     | ●                        | -              | -                 | -                 | -                    |
| Wider door mirrors - allows max body width of 2200mm  | -                | ●                   | -                     | ●                        | -              | ●                 | -                 | ●                    |

● Standard ○ Optional at extra cost

5.1 CHOOSE YOUR OPTIONS FOR YOUR RELAY CONVERSION PLATFORM

| OPTIONS   | NOTES  | OPTION CODE | CHASSIS CAB | CHASSIS CAB | CHASSIS CREW CAB | CHASSIS CREW CAB | FLOOR CAB | FLOOR CAB | BACK TO BACK | BACK TO BACK |
|---|--|-------------|-------------|-------------|------------------|------------------|-----------|-----------|--------------|--------------|
|   |  |             | X           | PLUS        | X                | PLUS             | X         | PLUS      | X            | PLUS         |
| ALL PRICES ARE SUBJECT TO VAT   |  |             |             |             |                  |                  |           |           |              |              |
| <b>TECHNOLOGY &amp; ENTERTAINMENT</b>   |  |             |             |             |                  |                  |           |           |              |              |
| Touch Screen Audio Pack: DAB digital radio with steering mounted controls, 5 inch colour touch screen, Bluetooth® handsfree and USB socket                                | Mobile phone compatibility can vary by phone manufacturer. Please consult your Dealer for further phone compatibility information.   | RC60        | £350        | £350        | £350             | £350             | £350      | £350      | £350         | £350         |
| Touch Screen Navigation Pack: DAB digital radio with integrated navigation and steering mounted controls, 5 inch colour touch screen, Bluetooth® handsfree and USB socket | Mobile phone compatibility can vary by phone manufacturer. Please consult your Dealer for further phone compatibility information.   | J2TV        | £700        | £700        | £700             | £700             | £700      | £700      | £700         | £700         |
| <b>Anora</b>  |  |             |             |             |                  |                  |           |           |              |              |
| Cabin overhead storage  | Incompatible with front passengers' lateral and curtain airbags (NF04)   | JO01        | £75         | £75         | •                | •                | £75       | £75       | £75          | £75          |
| Lower central glovebox (in lieu of mobile phone storage and two cupholders)   |  | ME08        | £40         | £40         | £40              | £40              | £40       | £40       | £40          | £40          |
| USB Charging socket on dashboard  | Replaces 12v socket on dashboard   | ES14        | £30         | £30         | £30              | £30              | £30       | £30       | £30          | £30          |
| Manual air conditioning for cab area, including glovebox  |  | RE01        | £700        | •           | £700             | •                | £700      | •         | £700         | •            |
| Leather steering wheel and gear lever   |  | VH04        | £150        | £150        | £150             | £150             | £150      | £150      | £150         | £150         |
| <b>SAFETY &amp; SECURITY</b>  |  |             |             |             |                  |                  |           |           |              |              |
| Perimetric alarm  |  | WC05        | £200        | £200        | £200             | £200             | £200      | £200      | £200         | £200         |
| Passenger airbag  | Incompatible with optional front passengers', lateral and curtain airbags (NF04)   | NN01        | £180        | £180        | £180             | £180             | £180      | £180      | £180         | £180         |
| Front passengers' lateral and curtain airbags   | Single passenger seat without height adjustment and passenger airbag become standard. Incompatible with standard passenger bench seat, cabin overhead storage (JO01) and passenger airbag (NN01) | NF04        | £500        | £500        | -                | -                | £500      | £500      | £500         | £500         |
| Cruise Control with programmable speed limiter  |  | RG03        | £135        | £135        | £135             | £135             | £135      | £135      | £135         | £135         |
| Tyre pressure monitor   |  | UE01        | £200        | £200        | £200             | £200             | £200      | £200      | £200         | £200         |
| Active Safety Brake and Lane Departure Warning system   |  | D403        | £720        | £720        | £720             | £720             | £720      | £720      | £720         | £720         |
| Drive Assist Pack: Speed limit recognition, smart beam headlights, Active Safety Brake, collision alert and Lane Departure Warning system                                 | Incompatible with Active Safety Brake and Lane Departure Warning (D403). Includes automatic lights and wipers (NB08)   | E702        | £850        | £850        | £850             | £850             | £850      | £850      | £850         | £850         |
| <b>LIGHTING &amp; VISIBILITY</b>  |  |             |             |             |                  |                  |           |           |              |              |
| Visibility Pack: automatic lights and wipers  | Present when optional heat-reflecting windscreen (VF07) or Drive Assist Pack (E702) are ordered  | NB08        | £200        | £200        | £200             | £200             | £200      | £200      | £200         | £200         |
| Front LED daytime running lights  | Not available on L4 versions   | FE10        | £225        | £225        | £225             | £225             | £225      | £225      | £225         | £225         |
| Front fog lights with headlight washers   |  | ND02        | £250        | £250        | £250             | £250             | £250      | £250      | £250         | £250         |
| Rear lights supplied but not fitted   |  | SY05        | -           | -           | -                | -                | -         | -         | £70          | £70          |
| Heat-reflecting windscreen with automatic lights and wipers   | Includes automatic lights and wipers (NB08)  | VF07        | £300        | £300        | £300             | £300             | £300      | £300      | £300         | £300         |
| • Standard - Not available † No cost option ALL PRICES ARE SUBJECT TO VAT   |  |             |             |             |                  |                  |           |           |              |              |

| OPTIONS  | NOTES  | OPTION CODE | CHASSIS CAB | CHASSIS CAB | CHASSIS CREW CAB | CHASSIS CREW CAB | FLOOR CAB | FLOOR CAB | BACK TO BACK | BACK TO BACK |
|--|--|-------------|-------------|-------------|------------------|------------------|-----------|-----------|--------------|--------------|
|  |  |             | X           | PLUS        | X                | PLUS             | X         | PLUS      | X            | PLUS         |
| <b>ALL PRICES ARE SUBJECT TO VAT</b>   |  |             |             |             |                  |                  |           |           |              |              |
| <b>WHEELS, TYRES &amp; DRIVING CHARACTERISTICS</b>   |  |             |             |             |                  |                  |           |           |              |              |
| Grip control with Hill Descent control   | Includes multi-season tyres  | UF04        | £550        | £550        | £550             | £550             | £550      | £550      | -            | -            |
| Underbody protection plate   |  | FX01        | £150        | £150        | £150             | £150             | £150      | £150      | £150         | £150         |
| All-road Pack: Intelligent traction control and underbody protection plate                                 | Includes multi-season tyres  | J2RC        | £625        | £625        | £625             | £625             | £625      | £625      | -            | -            |
| Wheel trims  | Alloy wheels (DZ86/DZ86) and wheel trims are incompatible. 15" wheel trims on 30, 33 and 35 versions. 16" on 35 Heavy versions | SU01        | £45         | £45         | £45              | £45              | £45       | £45       | -            | -            |
| Alloy wheels - 15"   | 30, 33 & 35 versions only. Alloy wheels and wheel trims are incompatible (SU01/DZ86)   | DZ85        | £385        | £385        | £385             | £385             | £385      | £385      | £385         | £385         |
| Alloy wheels - 16"   | 35 Heavy versions only. Alloy wheels and wheel trims are incompatible (SU01/DZ85)  | DZ86        | -           | £385        | -                | -                | -         | -         | -            | -            |
| Heavy duty rear twin-leaf suspension   | Incompatible with rear adjustable pneumatic suspension (UA04)  | SE16        | £150        | •           | £150             | •                | -         | -         | -            | -            |
| Rear pneumatic suspension (self-adjusting)   | Includes uprated tyres 225/70R15 on 30, 33 and 35 versions and 225/75R16 on 35 Heavy versions                                  | UA04        | £990        | £990        | £990             | £990             | £990      | £990      | -            | -            |
| <b>SEATING</b>   |  |             |             |             |                  |                  |           |           |              |              |
| Single passenger seat with armrest, height and lumbar adjustment. In lieu of standard passenger bench seat |  | WM08        | 0           | 0           | 0                | 0                | 0         | 0         | 0            | 0            |
| <b>CONVERTER EQUIPMENT</b>   |  |             |             |             |                  |                  |           |           |              |              |
| Wider door mirrors to allow a maximum body width of 2350mm   |  | RX05        | £50         | £50         | £50              | £50              | £50       | £50       | £50          | £50          |
| Backless Cab   |  | CA03        | £50         | £50         | -                | -                | •         | •         | £50          | £50          |
| Cut out roof and backless cab  |  | PF06        | -           | -           | -                | -                | -         | -         | £50          | £50          |
| Extended wiring at rear of vehicle   |  | KY06        | £30         | •           | £30              | •                | £30       | •         | £30          | •            |
| Trifunction aerial in door mirror  |  | AT22        | £70         | •           | £70              | •                | £70       | •         | £70          | •            |
| • Standard - Not available † No cost option ALL PRICES ARE SUBJECT TO VAT                                  |  |             |             |             |                  |                  |           |           |              |              |

| VERSIONS                                   | BlueHDi 140 S&S                                       |               |                    |             |                    | BlueHDi 165 S&S  |                  |                       |                |                  |                       |
|--|---|---------------|--------------------|-------------|--------------------|------------------|------------------|-----------------------|----------------|------------------|-----------------------|
|  | Chassis Cab X   | Chassis Cab X | Chassis Crew Cab X | Floor Cab X | Back to Back Cab X | Chassis Cab Plus | Chassis Cab Plus | Chassis Crew Cab Plus | Floor Cab Plus | Chassis Cab Plus | Back to Back Cab Plus |
|  | 35  |               |                    |             |                    | 35               |                  |                       |                |                  |                       |
|  | L2  | L3            |                    |             | N/A                | L2               | L3               |                       |                | L4               | N/A                   |
| <b>ENGINE</b>                              |   |               |                    |             |                    |                  |                  |                       |                |                  |                       |
| Capacity (cc)                              | 2179  |               |                    |             |                    | 2179             |                  |                       |                |                  |                       |
| Cylinders / Valves                         | 4 / 16  |               |                    |             |                    | 4 / 16           |                  |                       |                |                  |                       |
| Max power CEE (kW (hp)/rpm)                | 103 (140) / 3750                                      |               |                    |             |                    | 121 (165) / 3750 |                  |                       |                |                  |                       |
| Max torque CEE (Nm (lb/ft)/rpm)            | 340 (251) / 1750                                      |               |                    |             |                    | 370 (273) / 1750 |                  |                       |                |                  |                       |
| Bore and stroke (mm)                       | 85 x 96   |               |                    |             |                    | 85 x 96          |                  |                       |                |                  |                       |
| Fuel system                                | Diesel - High pressure turbo-charged direct injection |               |                    |             |                    |                  |                  |                       |                |                  |                       |
| Euro status                                | Euro 6.2  |               |                    |             |                    |                  |                  |                       |                |                  |                       |
| Stop & Start system                        | ●   |               |                    |             |                    |                  |                  |                       |                |                  |                       |
| <b>TRANSMISSION</b>                        |   |               |                    |             |                    |                  |                  |                       |                |                  |                       |
| Gearbox                                    | Manual  |               |                    |             |                    |                  |                  |                       |                |                  |                       |
| Number of gears                            | 6   |               |                    |             |                    |                  |                  |                       |                |                  |                       |
| <b>ECONOMY Litres/100km</b>                |   |               |                    |             |                    |                  |                  |                       |                |                  |                       |
| Low  | 8.3 - 12.3  |               |                    |             |                    | 8.2 - 12.5       |                  |                       |                |                  |                       |
| Medium                                     | 7.6 - 12.6  |               |                    |             |                    | 7.6 - 12.8       |                  |                       |                |                  |                       |
| High                                       | 8.0 - 13.6  |               |                    |             |                    | 8.1 - 13.2       |                  |                       |                |                  |                       |
| Extra-high                                 | 11.6 - 18.2   |               |                    |             |                    | 11.6 - 18.1      |                  |                       |                |                  |                       |
| Combined                                   | 9.2 - 14.8  |               |                    |             |                    | 9.2 - 14.8       |                  |                       |                |                  |                       |
| <b>ECONOMY MPG</b>                         |   |               |                    |             |                    |                  |                  |                       |                |                  |                       |
| Low  | 22.9 - 34.1   |               |                    |             |                    | 22.5 - 34.5      |                  |                       |                |                  |                       |
| Medium                                     | 22.5 - 37.2   |               |                    |             |                    | 22.1 - 37.3      |                  |                       |                |                  |                       |
| High                                       | 20.8 - 35.2   |               |                    |             |                    | 21.3 - 35.0      |                  |                       |                |                  |                       |
| Extra-high                                 | 15.5 - 24.4   |               |                    |             |                    | 15.6 - 24.3      |                  |                       |                |                  |                       |
| Combined                                   | 19.2 - 30.6   |               |                    |             |                    | 19.1 - 30.6      |                  |                       |                |                  |                       |
| <b>CO<sub>2</sub> EMISSIONS (g/km)</b>     |   |               |                    |             |                    |                  |                  |                       |                |                  |                       |
| 186  |   |               |                    |             |                    |                  |                  |                       |                |                  |                       |
| <b>WEIGHTS (kg)</b>                        |   |               |                    |             |                    |                  |                  |                       |                |                  |                       |
| Gross Vehicle Weight (GVW)                 | 3500  |               |                    |             |                    | 3500             |                  |                       |                |                  |                       |
| Kerb weight (1)                            | 1710  | 1730          | 1945               | 1705        | N/A                | 1715             | 1735             | 1950                  | 1710           | 1790             | N/A                   |
| Maximum Indicative Payload (2)             | 1790  | 1770          | 1555               | 1795        | N/A                | 1785             | 1765             | 1550                  | 1790           | 1710             | N/A                   |
| Max plated front axle (3)                  | 1850  | 1850          | 1850               | 1850        | 1850               | 1850             | 1850             | 1850                  | 1850           | 2100             | 1850                  |
| Max plated rear axle (3)                   | 2000  | 2000          | 2000               | 2000        | 2000               | 2000             | 2000             | 2000                  | 2000           | 2400             | 2000                  |
| Gross Train Weight (GTW)                   | 6000  | 6000          | 6000               | 6000        | 6000               | 6000             | 6000             | 6000                  | 6000           | 6500             | 6000                  |
| Maximum braked towing weight (4)           | 2500  | 2500          | 2500               | 2500        | 2500               | 2500             | 2500             | 2500                  | 2500           | 3000             | 2500                  |
| Maximum unbraked towing weight             | 750   | 750           | 750                | 750         | 750                | 750              | 750              | 750                   | 750            | 750              | 750                   |
| Maximum towball weight                     | 100   | 100           | 100                | 100         | 100                | 100              | 100              | 100                   | 100            | 120              | 100                   |
| <b>FUEL TANK CAPACITY Litres (gallons)</b> |   |               |                    |             |                    | 90 (19.8)        |                  |                       |                |                  |                       |
| <b>ADBLUE TANK CAPACITY Litres</b>         |   |               |                    |             |                    | 18.6             |                  |                       |                |                  |                       |

(1) Without driver. Kerb weight is calculated for a European base specification vehicle including oil, water, lubricants, tools, spare wheel and 90% full fuel tank. Weights may change with the addition of equipment.

(2) Maximum indicative payload is calculated as the difference between GVW and kerb weight. However, due to manufacturing tolerances and differences in the specification of UK vehicles, the mass in service figure provides a closer indication of the vehicle weight and therefore enables a more realistic payload to be calculated. An individual vehicle must be weighed to establish the exact kerb weight and payload applicable to that vehicle. It is the responsibility of the driver to ensure the vehicle is operated within the legal limits

(3) Within limits of GVW.

(4) Maximum recommended towing weight within limits of GTW.

Quoted values apply to all trim levels unless detailed

Figures shown are for comparison purposes only; you should only compare these fuel consumption and CO2 figures with other vehicles tested using the same technical standard. The fuel consumption you achieve, and CO2 produced, in real world conditions will depend upon a number of factors: including the accessories fitted (post registration), variations in weather, driving styles and vehicle load. There is a new test WLTP (Worldwide Harmonised Light Vehicles Test Procedure) used to measure fuel consumption and CO2 figures. The CO2 figures shown are NEDCeq (New European Driving Cycle Equivalent), calculated using an EC correlation tool which converts WLTP figures to NEDC. These NEDCeq figures are based on the outgoing test cycle. CO2 and fuel economy figures may vary according to wheel fitment and optional extras fitted

## 7.1 KNOW EVERYTHING ABOUT YOUR RELAY CONVERSION PLATFORM

|                            | L2                       | L3                       |                               |                        | L4                 | NA                            |
|----------------------------|--------------------------|--------------------------|-------------------------------|------------------------|--------------------|-------------------------------|
| EXTERIOR DIMENSIONS (mm)   | Chassis Cab (X and Plus) | Chassis Cab (X and Plus) | Chassis Crew Cab (X and Plus) | Floor Cab (X and Plus) | Chassis Cab (Plus) | Back to Back Cab (X and Plus) |
| Wheelbase                  | 3450                     | 4035                     | 4035                          | 4035                   | 4035               | N/A                           |
| Length                     | 5258                     | 5943                     | 5843                          | 5843                   | 6208               | N/A                           |
| Height                     | 2254                     | 2254                     | 2254                          | 2254                   | 2254               | 2254                          |
| Width (excl. door mirrors) | 2050                     | 2050                     | 2050                          | 2050                   | 2050               | 2050                          |
| Front overhang             | 948                      | 948                      | 948                           | 948                    | 948                | 948                           |
| Rear overhang              | 860                      | 860                      | 860                           | 860                    | 1225               | N/A                           |

## 8.1 FURTHER INFORMATION

### MANUFACTURER'S RECOMMENDED RETAIL PRICE ON THE ROAD

|                                    | RELAY<br>On the Road Costs |
|------------------------------------|----------------------------|
| Delivery to Dealer & Number Plates | £641.67                    |
| VAT                                | £128.33                    |
| Vehicle Excise Duty*               | £260.00                    |
| First Registration Fee             | £55.00                     |
| <b>Total OTR costs</b>             | <b>£1,085.00</b>           |

\* Note, for goods vehicles with a payload above 3500kg the Vehicle Excise Duty is £165

VAT is calculated at 20 %

VAT is not applicable to vehicles sold in the Channel Islands

### CITROËN 3 YEARS OF WARRANTY

All vehicles first registered in the UK and purchased from a UK Citroën Dealer benefit from a Citroën 2 - Year unlimited mileage manufacturer's warranty and a free optional additional 1 year of warranty provided by the Citroën Dealer Network in the UK. This additional warranty carries a mileage limit of 100,000 miles from first registration and is dependent upon the manufacturer's recommended servicing being carried out at the specified time or distance intervals. For full terms and conditions, please consult your Citroën Dealer in the UK.

### CITROËN ASSISTANCE

In response to a free telephone call in the UK, Citroën Assistance brings rapid expert roadside assistance to you in an emergency. It comes free of charge for a full year, from date of vehicle registration, and operates 24 hours a day in all parts of the UK and Europe. Services include nationwide recovery for both van and passengers, a home call service, replacement vehicle, hotel accommodation and vehicle storage if required. You can also purchase additional Citroën Assistance via your local Citroën Dealer at any time. Please note, Citroën Assistance only applies to incidents covered by the new vehicle warranty, and excludes non-vehicle faults, such as running out of fuel, mis-fuelling, loss of keys, lock-ins, road traffic accidents and punctures/wheel changes. Full details are available on request from Citroën UK via [cuk\\_contactcentre@citroen.com](mailto:cuk_contactcentre@citroen.com)

### CITROËN FINANCIAL SERVICES

Free2Move have a number of financial products designed to help you afford the Citroën of your choice. We can arrange a finance plan quickly and conveniently. What's more, it will be as suited to your needs as your new Citroën. Our finance plans combine all the know how of a company that has an extensive knowledge of the car market with a financial service you can trust. Tell your Citroën dealer what you want and let us do the rest. Just ask for a free, no obligation quote. Written quotations are available on request from Banque PSA UK Finance Ltd, 61 London Road, Redhill RH1 1QA. Finance is subject to status. Over 18's only, a guarantee may be required.

### CITROËN SERVICING

Available up to one year from your vehicle's registration date, but before its first chargeable service, a Citroën Servicing package enables you to pay in advance for:

- ' Scheduled Servicing
- ' Annual Service(s) for vehicles with a two year service plan
- ' Brake Fluid Replacement

This package can be personalised depending on your needs, with options ranging from 12 to 60 months and 10,000 to 100,000 miles.

### TERMS AND CONDITIONS

Every endeavour has been made to ensure that the information, details and descriptions set out in this literature are correct at the time of going to print. It is our policy to continually improve our vehicles in every way and we reserve the right to modify our vehicles' price, specification (including colour), equipment, accessories and characteristics or to discontinue any model, without notice, at any time. To avoid any misunderstandings you are advised to check with your Citroën dealer the specification (including colour), equipment accessories and equipment relating to any Citroën vehicle and the exact cost and availability prior to ordering. Where a feature is described as an option in this publication it should be assumed that it is at extra cost unless specifically stated otherwise.

Issued by Sales and Marketing, Citroën UK Ltd, Pinley House, 2 Sunbeam Way, Coventry CV3 1ND.

For further information call Citroën Fleet Connect on 0800 023 4000 or visit our website at [www.citroen.co.uk](http://www.citroen.co.uk).



## CITROËN RELAY

READY TO RUN CONVERSIONS

INSPIRED BY YOU

**ALL VERSIONS INCLUDE**

**Comfort & Convenience**

Air conditioning  
 Front electric windows  
 Twin lens door mirrors with electrically adjustable and heated upper mirror  
 12v socket in cabin  
 Full size steel spare wheel  
 Reach adjustable steering wheel  
 Two cupholders with mobile phone storage in centre of lower dashboard

**Safety & Security**

ABS braking including EBA and EBF  
 Remote central locking with deadlocking  
 Daytime running lights  
 Driver airbag

**Seating**

Driver's seat with height, rake and reach adjustment  
 Dual passenger bench seat  
 Four seat rear bench with 3-point seatbelts to outer seats, lap belts to inner seats (crew cab only)

**Technology & Entertainment**

DAB radio with Bluetooth® handsfree, USB socket and steering wheel mounted controls  
 Telematics box for Free2Move Connect Fleet Services

**Conversion Equipment**

Trifunction aerial in wing mirror (n/a to Crew Van Enterprise)  
 Heavy duty rear reinforced suspension (n/a to Low-Floor Luton and Crew Van Enterprise)

**CREW VAN ENTERPRISE**

**Comfort & Convenience**

Cruise control with variable speed limiter  
 Rear parking sensors

**Safety & Security**

Alarm

**Seating**

Driver's seat with height, rake, reach and lumbar adjustment  
 Driver's seat armrest

**Technology & Entertainment**

5" Colour touchscreen with DAB radio, integrated satellite navigation, Bluetooth® handsfree, USB socket and steering wheel mounted controls

**Crew Van**

Three-seat bench in row 2 with 3-point seat belts, fixed side windows, cloth headlining and non slip floor

Full, toughened plastic bulkhead with polycarbonate window fixed behind row 2 seats (in-lieu of full steel bulkhead behind row 1)

Moulded side panels with integrated bottle holders

**LUTON / BOX BODY**

Lutons/box bodies are chassis fitted with a large enclosed box on the back. The cargo area of the luton van extends over the cab, whilst the cargo area of the box body doesn't reach past the bulkhead. These vehicles are perfect for moving large goods

Load volume up to 20m<sup>3</sup>  
 Body approved to European design standards

**Key features:**

Aerodynamic pod providing additional storage area (Luton only)  
 Lightweight roller shutter rear door  
 High-quality GRP panels (11mm thick)  
 15mm thick floor  
 Interior LED light  
 Internal load locks and tie rails along side panels  
 High impact kick strips along side panels and bulkhead to provide protection

**TIPPER**

Tipper are commercial vehicles with an open platform that can be raised at the cab end to enable the load to

be tipped out with ease

Load length up to 2.87m  
 Body approved to European design standards

**Key features:**

Double-skinned aluminium sideboard  
 Three levels of load-lashing rails against the bulkhead and long load-lashing rail incorporated along top of the tailboard  
 High vis red and yellow finish to the tailboard  
 15mm thick, full birch non-slip deck  
 Lashing rings built into aluminium side extrusions  
 Electro-hydraulic lift with automatic overload prevention system

**DROPSIDE**

Dropsides are commercial vehicles with an open platform that has fold-down side panels, allowing easy

loading and unloading of goods

Load length up to 3.64m  
 Body approved to European design standards

**Key features:**

Boards are designed to withstand a burst load of 1.7 tonnes  
 Three levels of load-lashing rails against the bulkhead  
 Aluminium corner posts that extend above the tailboard to form lateral stops  
 15mm thick, full birch non-slip deck  
 Lashing rings built into aluminium side extrusions

**CURTAINSIDE**

Curtainsides are similar to box vans, except the sides of the body slide open (like curtains), enabling side

access as well as rear access for loading and unloading goods

Load volume up to 20m<sup>3</sup>  
 Body approved to European design standards

**Key features:**

Aerodynamic pod providing additional storage area  
 Lightweight rear barn doors with anti-corrosion external locking  
 Blue curtains with side aperture of 2080mm  
 15mm thick floor  
 Aluminium 'V' groove side rail with four pull-up hooks at 1m intervals  
 Interior LED light  
 High impact kick strip along bulkhead to provide protection

**LOW FLOOR LUTON**

Low-floor lutons are luton vans built on floor cabs (as opposed to chassis cabs), therefore providing the user

with an easy access loading height and eliminating the need for extra loading equipment

Load volume up to 20m<sup>3</sup> with a low loading height of 550mm  
 Body approved to European design standards

**Key features:**

Aerodynamic pod providing additional storage area  
 Double doors opening to 270°. Fitted with stainless steel cam locks, hinges and door open retainers  
 High-quality GRP panels (11mm thick)  
 15mm thick floor  
 Internal load locks and tie rails along side panels  
 Interior LED light



2.1 CHOOSE YOUR RELAY READY TO RUN VERSION

| Body Type           | Length | Version   | HP  | Gross Vehicle Weight (kg) | MY | LCDV Code         | Basic M.R.R.P. | V.A.T. | Total M.R.R.P. | On The Road M.R.R.P. |
|---------------------|--------|---|-----|---------------------------|----|-------------------|----------------|--------|----------------|----------------------|
| Tipper              | L2     | Relay 35 BlueHDi 165 S&S 6-speed manual Tipper              | 165 | 3500                      | 19 | 2CU94FHNHK70Z0D0  | £32,060        | £6,412 | £38,472        | £39,557              |
|                     | L3     | Relay 35 BlueHDi 165 S&S 6-speed manual Crew Cab Tipper     | 165 | 3500                      | 19 | 2CU96XHNHK70Z0D0  | £34,060        | £6,812 | £40,872        | £41,957              |
| Dropside            | L2     | Relay 35 BlueHDi 165 S&S 6-speed manual Dropside            | 165 | 3500                      | 19 | 2CU94FHNHK70Z2D0  | £30,060        | £6,012 | £36,072        | £37,157              |
|                     | L3     | Relay 35 BlueHDi 165 S&S 6-speed manual Dropside            | 165 | 3500                      | 19 | 2CU96FHNHK70Z0D0  | £31,060        | £6,212 | £37,272        | £38,357              |
|                     | L4     | Relay 35 BlueHDi 165 S&S 6-speed manual Dropside            | 165 | 3500                      | 19 | 2CU96FHNHK70Z1D0  | £32,060        | £6,412 | £38,472        | £39,557              |
|                     | L3     | Relay 35 BlueHDi 165 S&S 6-speed manual Crew Cab Dropside   | 165 | 3500                      | 19 | 2CU96XHNHK70Z2D0  | £32,060        | £6,412 | £38,472        | £39,557              |
| Luton               | L3     | Relay 35 BlueHDi 165 S&S 6-speed manual Luton               | 165 | 3500                      | 19 | 2CU96FHNHK70Z4D0  | £34,060        | £6,812 | £40,872        | £41,957              |
|                     | L4     | Relay 35 BlueHDi 165 S&S 6-speed manual Luton               | 165 | 3500                      | 19 | 2CU96FHNHK70Z5D0  | £35,060        | £7,012 | £42,072        | £43,157              |
| Box Body            | L3     | Relay 35 BlueHDi 165 S&S 6-speed manual Box Body            | 165 | 3500                      | 19 | 2CU96FHNHK70Z6D0  | £33,060        | £6,612 | £39,672        | £40,757              |
|                     | L4     | Relay 35 BlueHDi 165 S&S 6-speed manual Box Body            | 165 | 3500                      | 19 | 2CU96FHNHK70Z7D0  | £34,060        | £6,812 | £40,872        | £41,957              |
| Curtainside         | L3     | Relay 35 BlueHDi 165 S&S 6-speed manual Curtainside         | 165 | 3500                      | 19 | 2CU96FHNHK70Z8D0  | £35,360        | £7,072 | £42,432        | £43,517              |
|                     | L4     | Relay 35 BlueHDi 165 S&S 6-speed manual Curtainside         | 165 | 3500                      | 19 | 2CU96FHNHK70Z9D0  | £36,360        | £7,272 | £43,632        | £44,717              |
| Low-Floor Luton     | L3     | Relay 35 BlueHDi 165 S&S 6-speed manual Low-Floor Luton     | 165 | 3500                      | 19 | 2CU96QHNNHK70Z9D0 | £37,760        | £7,552 | £45,312        | £46,397              |
| Crew Van Enterprise | L3H2   | Relay 35 BlueHDi 140 S&S 6-speed manual Enterprise Crew Van | 140 | 3500                      | 19 | 2CU95KLNKG709CD0  | £34,630        | £6,926 | £41,556        | £42,641              |

### 3.1 CHOOSE YOUR PAINT COLOUR & UPHOLSTERY

| SOLID COLOURS |              |               |              |
|---------------|--------------|---------------|--------------|
| Polar White   | Pacific Blue | Imperial Blue | Tizziano Red |
| P0WP          | P05V         | P04P          | P01X         |
| •             | •            | •             | •            |



Polar White



Pacific Blue



Imperial Blue



Tizziano Red

### 3.2 WHEELS

#### STANDARD STEEL WHEELS

Tyres: 215/70 R15 C



'35' versions

#### 15" WHEEL TRIMS

Tyres: 215/70 R15 C



'35' versions

#### 15" ALLOY WHEELS

Tyres: 215/70 R15 C



'35' versions

### 3.3 TRIMS



All versions

Magnet' trim - dark grey cloth with black and red twill  
35FX / Z6FX

5.1 CHOOSE YOUR OPTIONS FOR YOUR RELAY READY TO RUN VERSION

| OPTIONS   | NOTES  | OPTION CODE | TIPPERS,<br>DROPSIDES,<br>LUTONS, BOX<br>BODIES,<br>CURTAINSIDES | TIPPER CREW<br>CAB, DROPSIDE<br>CREW CAB | LOW-FLOOR<br>LUTONS | CREW VAN<br>ENTERPRISE |
|---|--|-------------|--|--|---------------------|------------------------|
|   |  |             | ALL PRICES ARE SUBJECT TO VAT                                    |  |                     |                        |
| <b>TECHNOLOGY &amp; ENTERTAINMENT</b>   |  |             |  |  |                     |                        |
| Touch Screen Audio Pack: DAB digital radio with steering mounted controls, 5 inch colour touch screen, Bluetooth® handsfree and USB socket                                | Mobile phone compatibility can vary by phone manufacturer. Please consult your Dealer for further phone compatibility information.   | RC60        | £350   | £350                                     | £350                | -                      |
| Touch Screen Navigation Pack: DAB digital radio with integrated navigation and steering mounted controls, 5 inch colour touch screen, Bluetooth® handsfree and USB socket | Mobile phone compatibility can vary by phone manufacturer. Please consult your Dealer for further phone compatibility information.   | J2TV        | £700   | £700                                     | £700                | •                      |
| <b>COMFORT &amp; CONVENIENCE</b>  |  |             |  |  |                     |                        |
| Cabin overhead storage  | Incompatible with front passengers' lateral and curtain airbags (NF04)   | JO01        | £75  | •  | £75                 | £75                    |
| Lower central glovebox (in lieu of mobile phone storage and two cupholders)   |  | ME08        | £40  | £40                                      | £40                 | •                      |
| Two cup holders and mobile phone storage in centre of lower dashboard (in lieu of lower central glovebox)   |  | ME14        | •  | •  | •                   | £50                    |
| USB Charging socket on dashboard  | Replaces 12v socket on dashboard   | ES14        | £30  | £30                                      | £30                 | £30                    |
| Leather steering wheel and gear lever   |  | VH04        | £150   | £150                                     | £150                | £150                   |
| <b>SAFETY &amp; SECURITY</b>  |  |             |  |  |                     |                        |
| Perimetric alarm  |  | WC05        | £200   | £200                                     | £200                | •                      |
| Passenger airbag  | Incompatible with optional front passengers', lateral and curtain airbags (NF04)   | NN01        | £180   | £180                                     | £180                | £180                   |
| Front passengers' lateral and curtain airbags   | Single passenger seat without height adjustment and passenger airbag become standard. Incompatible with standard passenger bench seat, cabin overhead storage (JO01) and passenger airbag (NN01) | NF04        | £500   | -  | £500                | £500                   |
| Cruise Control with programmable speed limiter  |  | RG03        | £135   | £135                                     | £135                | •                      |
| Tyre pressure monitor   |  | UE01        | £200   | £200                                     | £200                | £200                   |
| Active Safety Brake and Lane Departure Warning system   |  | D403        | £720   | £720                                     | £720                | £720                   |
| Drive Assist Pack: Speed limit recognition, smart beam headlights, Active Safety Brake, collision alert and Lane Departure Warning system                                 | Incompatible with Active Safety Brake and Lane Departure Warning (D403). Includes automatic lights and wipers (NB08)   | E702        | £850   | £850                                     | £850                | £850                   |
| <b>LIGHTING &amp; VISIBILITY</b>  |  |             |  |  |                     |                        |
| Visibility Pack: automatic lights and wipers  | Present when optional heat-reflecting windscreen (VF07) or Drive Assist Pack (E702) are ordered  | NB08        | £200   | £200                                     | £200                | £200                   |
| Front LED daytime running lights  | Not available on L4 versions   | FE10        | £225   | £225                                     | £225                | £225                   |
| Front fog lights with headlight washers   |  | ND02        | £250   | £250                                     | £250                | £250                   |
| Electric folding door mirrors   | Incompatible with wider door mirrors (RX05)  | HU02        | -  | -  | -                   | £150                   |
| Heat-reflecting windscreen with automatic lights and wipers   | Includes automatic lights and wipers (NB08)  | VF07        | £300   | £300                                     | £300                | £300                   |
| • Standard - Not available † No cost option ALL PRICES ARE SUBJECT TO VAT   |  |             |  |  |                     |                        |

| OPTIONS   | NOTES  | OPTION CODE | TIPPERS,<br>DROPSIDES,<br>LUTONS, BOX<br>BODIES,<br>CURTAINSIDES | TIPPER CREW<br>CAB, DROPSIDE<br>CREW CAB | LOW-FLOOR<br>LUTONS | CREW VAN<br>ENTERPRISE |
|---|--|-------------|--|--|---------------------|------------------------|
|   |  |             | ALL PRICES ARE SUBJECT TO VAT                                    |  |                     |                        |
| <b>WHEELS, TYRES &amp; DRIVING CHARACTERISTICS</b>  |  |             |  |  |                     |                        |
| Grip control with Hill Descent control  | Includes multi-season tyres  | UF04        | £550   | £550                                     | £550                | £550                   |
| Underbody protection plate  |  | FX01        | £150   | £150                                     | £150                | £150                   |
| All-road Pack: Intelligent traction control and underbody protection plate  | Includes multi-season tyres  | J2RC        | £625   | £625                                     | £625                | £625                   |
| Wheel trims   | Alloy wheels (DZ86/DZ86) and wheel trims are incompatible. 15" wheel trims on 30, 33 and 35 versions. 16" on 35 Heavy versions | SU01        | £45  | £45                                      | £45                 | £45                    |
| Alloy wheels - 15"  | 30, 33 & 35 versions only. Alloy wheels and wheel trims are incompatible (SU01/DZ86)   | DZ85        | £385   | £385                                     | £385                | £385                   |
| Reinforced twin-leaf suspension   | Incompatible with rear adjustable pneumatic suspension (UA04)  | SE08        | -  | -  | -                   | £150                   |
| Rear pneumatic suspension (self-adjusting)  | Includes uprated tyres 225/70R15 on 30, 33 and 35 versions and 225/75R16 on 35 Heavy versions                                  | UA04        | £990   | £990                                     | £990                | £990                   |
| <b>DOOR &amp; WINDOW OPTIONS</b>  |  |             |  |  |                     |                        |
| Glazed rear doors - with heated rear windows and internal rear view mirror  |  | VC02        | -  | -  | -                   | £250                   |
| Offside sliding side loading door   |  | PC12        | -  | -  | -                   | £350                   |
| Glazed offside sliding side loading door  |  | PC13        | -  | -  | -                   | £370                   |
| 270° opening rear doors   |  | LL02        | -  | -  | -                   | £250                   |
| <b>SEATING</b>  |  |             |  |  |                     |                        |
| Heated driver seat with lumbar adjustment and armrest   |  | NA03        | -  | -  | -                   | £150                   |
| Heated driver seat with lumbar adjustment and armrest. Single heated passenger seat without armrest, height or lumbar adjustment and in lieu of standard passenger bench seat |  | NA01        | -  | -  | -                   | £250                   |
| Single passenger seat with armrest, height and lumbar adjustment. In lieu of standard passenger bench seat  |  | WM08        | ◊  | ◊  | ◊                   | ◊                      |
| <b>CONVERTER EQUIPMENT</b>  |  |             |  |  |                     |                        |
| Wider door mirrors to allow a maximum body width of 2350mm  | Incompatible with electric folding door mirrors (HU02)   | RX05        | £50  | £50                                      | £50                 | -                      |
| Electrical connections interface box<br>- Only for use for electrical connections for integral elements of a vehicle conversion   | Includes reinforced Alternator   | J101        | •  | •  | •                   | £140                   |
| • Standard - Not available † No cost option ALL PRICES ARE SUBJECT TO VAT   |  |             |  |  |                     |                        |

4.1 CHOOSE YOUR EQUIPMENT FOR YOUR RELAY READY TO RUN VERSION

| EQUIPMENT  | TIPPERS<br>DROPSIDES<br>LUTONS<br>BOX BODIES<br>CURTAINSIDES | LOW-FLOOR<br>LUTON | CREW VAN<br>ENTERPRISE |
|--|--|--------------------|------------------------|
| <b>TECHNOLOGY &amp; ENTERTAINMENT</b>  |  |                    |                        |
| Telematics box for Free2Move Connect Fleet services  | •  | •                  | •                      |
| DAB radio with with steering mounted controls, Bluetooth® handsfree and USB socket   | •  | •                  | •                      |
| 5" Colour touchscreen with DAB radio, integrated stellite navigation, Bluetooth® handsfree, USB socket and steering wheel mounted controls | ○  | ○                  | •                      |
| Trifunction aerial in door mirror  | •  | •                  | -                      |
| <b>COMFORT AND CONVENIENCE</b>   |  |                    |                        |
| Variable assisted power steering   | •  | •                  | •                      |
| Gear shift indicator   | •  | •                  | •                      |
| Twin lens door mirrors with electrically adjustable and heated upper mirror  | •  | •                  | •                      |
| Electric front windows   | •  | •                  | •                      |
| Reach adjustable steering wheel  | •  | •                  | •                      |
| Manual air-conditioning for cab area, including glovebox   | •  | •                  | •                      |
| <b>SAFETY &amp; SECURITY</b>   |  |                    |                        |
| ABS  | •  | •                  | •                      |
| Electronic Stability Control (ESC)   | •  | •                  | •                      |
| Emergency Braking Assistance   | •  | •                  | •                      |
| EBFD (Electronic Brake Force Distribution)   | •  | •                  | •                      |
| Thatcham rolling transponder immobiliser   | •  | •                  | •                      |
| Oil level indicator  | •  | •                  | •                      |
| Cruise control with variable speed limiter   | ○  | ○                  | •                      |
| Driver's airbag  | •  | •                  | •                      |
| Full size steel spare wheel  | •  | •                  | •                      |
| Three x3 point inertia reel, height adjustable seatbelts (Two with single passenger seat)  | •  | •                  | •                      |
| Deadlocks  | •  | •                  | •                      |
| High frequency remote control central locking with 2-button plip   | •  | •                  | •                      |
| Visible Vehicle Identification Number (at base of windscreen)  | •  | •                  | •                      |
| <b>LIGHTING &amp; VISIBILITY</b>   |  |                    |                        |
| Halogen headlights with clear polycarbonate lenses   | •  | •                  | •                      |
| 2 speed, intermittent front windscreen wipers  | •  | •                  | •                      |
| Remote headlight adjustment from fascia  | •  | •                  | •                      |
| Tinted windows   | •  | •                  | •                      |
| Laminated windscreen   | •  | •                  | •                      |
| Manually folding door mirrors  | •  | •                  | •                      |

• Standard ○ Optional at extra cost

| EQUIPMENT   | TIPPERS<br>DROPSIDES<br>LUTONS<br>BOX BODIES<br>CURTAINSIDES | LOW-FLOOR<br>LUTON | CREW VAN<br>ENTERPRISE |
|---|--|--------------------|------------------------|
| <b>SEATING</b>  |  |                    |                        |
| Driver's seat height adjustment   | •  | •                  | •                      |
| Front door armrests   | •  | •                  | •                      |
| Passenger bench seat  | •  | •                  | •                      |
| Four seat bench in row 2 with 3-point seatbelts to outer seats, lap belts to inner seats  | •<br>(Crew Cab only)   | -                  | -                      |
| Three seat bench in row 2 with adjustable head restraints   | -  | -                  | •                      |
| Non slip hardwearing front cabin floor covering   | •  | •                  | •                      |
| <b>INTERIOR STYLE &amp; STORAGE</b>   |  |                    |                        |
| Two cup holders and mobile phone storage in centre of lower dashboard   | •  | •                  | ○                      |
| Lower central glovebox  | ○  | ○                  | •                      |
| Lockable, non-illuminated glove box   | •  | •                  | •                      |
| 12v socket in cabin   | •  | •                  | •                      |
| <b>INSTRUMENTS</b>  |  |                    |                        |
| Rev counter, water temperature gauge, fuel gauge and trip computer  | •  | •                  | •                      |
| Battery charge warning  | •  | •                  | •                      |
| Bulb out warning for side light, headlamp and indicators  | •  | •                  | •                      |
| Lights on alarm   | •  | •                  | •                      |
| Door open warning for cab doors   | •  | •                  | •                      |
| <b>CONVERTER EQUIPMENT</b>  |  |                    |                        |
| Electrical connections interface box<br>- Only for use for electrical connections for integral elements of a vehicle conversion | •  | •                  | ○                      |
| Extended wiring at rear of vehicle  | •  | •                  | -                      |
| Heavy duty rear reinforced twin-leaf suspension   | •  | -                  | -                      |
| Wider door mirrors - allows max body width of 2200mm  | •  | •                  | -                      |

• Standard ○ Optional at extra cost

5.2 CHOOSE YOUR ACCESSORIES FOR YOUR RELAY READY TO RUN VERSION

| ACCESSORY   | NOTES   | ACCESSORY CODE | Basic M.R.R.P.                       | IMPACT ON PAYLOAD<br>(KG) |
|---|---|----------------|--------------------------------------|---------------------------|
|   |   |                | ALL PRICES ARE SUBJECT TO VAT        |                           |
| <b>TIPPERS AND DROPSIDES</b>  |   |                |                                      |                           |
| Deck-mounted toolbox  | Toolbox mounted on the deck against the bulkhead, providing 0.6 cubic metres of storage                         | 238            | £400                                 | 56                        |
| Tow-bar and electrics (not compatible with accessory 230)                         | Tow bracket, 13-pin towing socket and dual ball & pin coupling  | 227            | £590                                 | 38                        |
| Light bar   | R65 compliant LED unit incorporated into the bulkhead, provides full 360 degree visibility                      | 229            | £300                                 | 11                        |
| Steps and grab-handles  | Steel folding steps at the front of the platform with aluminium grip rails (high vis finish)<br>Come as a pair. | 730            | £110                                 | 16                        |
| Tail lift (dropside only) (not compatible with accessory 227)                     | 1 metre-deep platform - incorporates folding side gates and trailing edge                                       | 230            | £2,200                               | 220                       |
| Anti-fall rails (dropside only)   | Removable rails with a high vis finish  | 231            | £270                                 | 22                        |
| <b>LUTON / BOX BODIES</b>   |   |                |                                      |                           |
| Tail lift   | DEL column tail lift. 500kg capacity. 815mm platform + 205mm fixed leading edge                                 | 232            | £1,695                               | 155                       |
| Load lock track (one row). Not compatible with 240                                | Side-mounted tracks that enable secure payload storage  | 236            | £135                                 | 10                        |
| Tie rail (one rail). Not compatible with 236                                      | Side-mounted rails that enable secure payload storage   | 240            | £135                                 | 7.5                       |
| Lashing rings (pair)  | Recessed lashing rings (sitting 3mm above the floor) for additional load restraint options                      | 241            | £75                                  | 0.74                      |
| Rear barn doors (in lieu of narrow lateral shutter)                               | 17mm GRP rear barn doors  | 235            | £195                                 | 50                        |
| Lightweight panels  | Replace side panels with lightweight panels   | 242            | £650                                 | -110                      |
| Lightweight base and rear frames  | Aluminium baseframe with a pressed aluminium rear frame   | 243            | £495                                 | -75                       |
| Solid paint option to match base vehicle (conversion body only) <sup>1</sup>      | Paint to the body of the conversion to match paint to the cab if ordered - SOLID PAINT PRICE                    | 247            | £950                                 | 0                         |
| <b>CURTAINSIDES</b>   |   |                |                                      |                           |
| Narrow lateral shutter (in lieu of barn doors)                                    | Aluminium narrow shutters that fold up at the roof  | 244            | £395                                 | 40                        |
| Lightweight wide lateral shutter (in lieu of barn doors). Not compatible with 244 | Aluminium wide lateral shutter slides into roof allowing greater rear aperture                                  | 245            | £495                                 | 35                        |
| Steps and grab-handles  | 2 rung pull-out step and plastic handle   | 246            | £125                                 | 6                         |
| Hooks in floor (four)   | Fitted at 1000mm intervals for additional load restraint options  | 234            | £50                                  | 1                         |
| <b>LOW-FLOOR LUTONS</b>   |   |                |                                      |                           |
| Solid paint option to match base vehicle (conversion body only) <sup>1</sup>      | Paint to the body of the conversion to match paint to the cab if ordered - SOLID PAINT PRICE                    | 250            | £1,500                               | 0                         |
|   |   |                | <b>ALL PRICES ARE SUBJECT TO VAT</b> |                           |

<sup>1</sup>Costs will be incurred for any colour other than Polar White

6-1 KNOW EVERYTHING ABOUT YOUR RELAY CONVERSION PLATFORM

| VERSIONS                                   | BlueHDi 140 S&S                                      |        |                 |          |       |       |                   | BlueHDi 165 S&S  |       |                 |                      |       |          |       |             |       |                            |       |       |  |
|--|--|--------|-----------------|----------|-------|-------|-------------------|------------------|-------|-----------------|----------------------|-------|----------|-------|-------------|-------|----------------------------|-------|-------|--|
|  | Enterprise Crew Van                                  | Tipper | Crew Cab Tipper | Dropside |       |       | Crew Cab Dropside | Luton            |       | Low-Floor Luton | Luton with tail lift |       | Box Body |       | Curtainside |       | Curtainside with tail lift |       |       |  |
|  | 35   | 35     |                 | 35       |       |       |                   |                  |       |                 | 35                   |       |          |       | 35          |       |                            |       |       |  |
|  | L3H2   | L2     | L3              | L2       | L3    | L4    | L3                | L4               | L3    | L3              | L4                   | L3    | L4       | L3    | L4          | L3    | L4                         | L3    | L4    |  |
| <b>ENGINE</b>                              |  |        |                 |          |       |       |                   |                  |       |                 |                      |       |          |       |             |       |                            |       |       |  |
| Capacity (cc)                              | 2179   |        |                 |          |       |       |                   | 2179             |       |                 |                      |       |          |       |             |       |                            |       |       |  |
| Cylinders / Valves                         | 4 / 16   |        |                 |          |       |       |                   | 4 / 16           |       |                 |                      |       |          |       |             |       |                            |       |       |  |
| Max power CEE (kW) (hp)/rpm                | 103 (140) / 3750                                     |        |                 |          |       |       |                   | 121 (165) / 3750 |       |                 |                      |       |          |       |             |       |                            |       |       |  |
| Max torque CEE (Nm) (lb-ft)/rpm            | 340 (251) / 1750                                     |        |                 |          |       |       |                   | 370 (273) / 1750 |       |                 |                      |       |          |       |             |       |                            |       |       |  |
| Bore and stroke (mm)                       | 85 x 96  |        |                 |          |       |       |                   | 85 x 96          |       |                 |                      |       |          |       |             |       |                            |       |       |  |
| Fuel system                                | Diesel - High pressure turbocharged direct injection |        |                 |          |       |       |                   |                  |       |                 |                      |       |          |       |             |       |                            |       |       |  |
| Euro status                                | Euro 6.2   |        |                 |          |       |       |                   |                  |       |                 |                      |       |          |       |             |       |                            |       |       |  |
| Stop & Start system                        | •  |        |                 |          |       |       |                   |                  |       |                 |                      |       |          |       |             |       |                            |       |       |  |
| <b>TRANSMISSION</b>                        |  |        |                 |          |       |       |                   |                  |       |                 |                      |       |          |       |             |       |                            |       |       |  |
| Gearbox                                    | Manual   |        |                 |          |       |       |                   |                  |       |                 |                      |       |          |       |             |       |                            |       |       |  |
| Number of gears                            | 6  |        |                 |          |       |       |                   |                  |       |                 |                      |       |          |       |             |       |                            |       |       |  |
| <b>ECONOMY Litres/100km</b>                |  |        |                 |          |       |       |                   |                  |       |                 |                      |       |          |       |             |       |                            |       |       |  |
| Low  | 10.3   | 10.7   | 10.1            | 10.1     | 10.2  | 10.4  | 10.7              | 11               | 10.2  | 11              | 11.2                 | 10.7  | 11       | 11    | 11.1        | 11.1  | 11.1                       | 11.1  | 11.2  |  |
| Medium                                     | 9.9  | 10.4   | 9.7             | 9.7      | 9.8   | 10.1  | 10.8              | 11.1             | 10.2  | 11.1            | 11.3                 | 10.8  | 11.1     | 11.1  | 11.3        | 11.2  | 11.4                       | 11.4  | 11.4  |  |
| High                                       | 10.0   | 10.4   | 9.8             | 9.8      | 9.9   | 10.2  | 11.6              | 11.8             | 10.9  | 11.8            | 12                   | 11.6  | 11.8     | 12    | 12.1        | 12    | 12.2                       | 12.2  | 12.2  |  |
| Extra-high                                 | 14.0   | 14.7   | 13.7            | 13.8     | 13.9  | 14.4  | 18                | 18.2             | 16.7  | 18              | 18.3                 | 18    | 18.2     | 18.7  | 18.6        | 18.6  | 18.4                       | 18.4  | 18.4  |  |
| Combined                                   | 11.4   | 12.0   | 11.2            | 11.2     | 11.4  | 11.7  | 13.5              | 13.7             | 12.6  | 13.7            | 13.9                 | 13.5  | 13.7     | 14    | 14          | 14    | 14                         | 14    | 14    |  |
| <b>ECONOMY MPG</b>                         |  |        |                 |          |       |       |                   |                  |       |                 |                      |       |          |       |             |       |                            |       |       |  |
| Low  | 29.10  | 30.23  | 28.53           | 28.53    | 28.82 | 29.38 | 30.23             | 31.08            | 28.82 | 31.08           | 31.64                | 30.23 | 31.08    | 31.08 | 31.36       | 31.36 | 31.64                      | 31.36 | 31.64 |  |
| Medium                                     | 27.97  | 29.38  | 27.40           | 27.40    | 27.69 | 28.53 | 30.51             | 31.36            | 28.82 | 31.36           | 31.92                | 30.51 | 31.36    | 31.36 | 31.92       | 31.64 | 32.21                      | 31.64 | 32.21 |  |
| High                                       | 28.25  | 29.38  | 27.69           | 27.69    | 27.97 | 28.82 | 32.77             | 33.34            | 30.79 | 33.34           | 33.90                | 32.77 | 33.34    | 33.90 | 34.18       | 33.90 | 34.47                      | 33.90 | 34.47 |  |
| Extra-high                                 | 39.55  | 41.53  | 38.70           | 38.99    | 39.27 | 40.68 | 50.85             | 51.42            | 47.18 | 50.85           | 51.70                | 50.85 | 51.42    | 52.83 | 52.55       | 52.55 | 51.98                      | 52.55 | 51.98 |  |
| Combined                                   | 32.21  | 33.90  | 31.64           | 31.64    | 32.21 | 33.05 | 38.14             | 38.70            | 35.60 | 38.70           | 39.27                | 38.14 | 38.70    | 39.55 | 39.55       | 39.55 | 39.55                      | 39.55 | 39.55 |  |
| <b>CO<sub>2</sub> EMISSIONS (g/km)</b>     |  |        |                 |          |       |       |                   |                  |       |                 |                      |       |          |       |             |       |                            |       |       |  |
|  | 186 (4)  |        |                 |          |       |       |                   | 186 (4)          |       |                 |                      |       |          |       |             |       |                            |       |       |  |
| <b>WEIGHTS (kg)</b>                        |  |        |                 |          |       |       |                   |                  |       |                 |                      |       |          |       |             |       |                            |       |       |  |
| Gross Vehicle Weight (GVW)                 | 3500   |        |                 |          |       |       |                   |                  |       |                 |                      |       |          |       |             |       |                            |       |       |  |
| Kerb weight (1)                            | 2185   | 2170   | 2382            | 1966     | 2068  | 2056  | 2185              | 2341             | 2482  | 2132            | 2496                 | 2637  | 2341     | 2482  | 2466        | 2559  | 2530                       | 2623  | 2623  |  |
| Maximum Indicative Payload (2)             | 1315   | 1250   | 1062            | 1411     | 1364  | 1319  | 1231              | 1159             | 1018  | 1367            | 1004                 | 863   | 1159     | 1018  | 1034        | 941   | 970                        | 877   | 877   |  |
| Max plated front axle (3)                  | 1870   | 1850   | 1850            | 1850     | 1850  | 1850  | 1850              | 1850             | 1850  | 1850            | 1850                 | 1850  | 1850     | 1850  | 1850        | 1850  | 1850                       | 1850  | 1850  |  |
| Max plated rear axle (3)                   | 2000   | 2000   | 2000            | 2000     | 2000  | 2000  | 2000              | 2000             | 2000  | 2000            | 2000                 | 2000  | 2000     | 2000  | 2000        | 2000  | 2000                       | 2000  | 2000  |  |
| <b>FUEL TANK CAPACITY Litres (gallons)</b> |  |        |                 |          |       |       |                   |                  |       | 90 (19.8)       |                      |       |          |       |             |       |                            |       |       |  |
| <b>ADBLUE TANK CAPACITY Litres</b>         |  |        |                 |          |       |       |                   |                  |       | 18.6            |                      |       |          |       |             |       |                            |       |       |  |

(1) Without driver. Kerb weight is calculated for a European base specification vehicle including oil, water, lubricants, tools, spare wheel and 90% full fuel tank. Weights may change with the addition of equipment.

(2) Maximum indicative payload is calculated as the difference between GVW and kerb weight. However, due to manufacturing tolerances and differences in the specification of UK vehicles, the mass in service figure provides a closer indication of the vehicle weight and therefore enables a more realistic payload to be calculated. An individual vehicle must be weighed to establish the exact kerb weight and payload applicable to that vehicle. It is the responsibility of the driver to ensure the vehicle is operated within the legal limits. This figure includes the driver.

(3) Within limits of GVW.

(4) The CO<sub>2</sub> figures shown are NEDCeq (New European Driving Cycle Equivalent) for the base Relay Chassis Cab prior to conversion. These are calculated using an EC correlation tool which converts WLTP figures to NEDC. These NEDCeq figures are based on the outgoing test cycle. Quoted values apply to all trim levels unless detailed.

Figures shown are for comparison purposes only; you should only compare these fuel consumption and CO<sub>2</sub> figures with other vehicles tested using the same technical standard. The fuel consumption you achieve, and CO<sub>2</sub> produced, in real world conditions will depend upon a number of factors, including the accessories fitted (post registration), variations in weather, driving styles and vehicle load. There is a new test WLTP (Worldwide Harmonised Light Vehicles Test Procedure) used to measure fuel consumption and CO<sub>2</sub> figures. CO<sub>2</sub> and fuel economy figures may vary according to wheel fitment and optional extras fitted.

7.1 KNOW EVERYTHING ABOUT YOUR RELAY READY TO RUN VERSION

| EXTERIOR DIMENSIONS (mm)                 | Tipper | Crew Cab Tipper | Dropside |      |      | Crew Cab Dropside | Luton |      | Box Body |      | Curtainside |      | Low-Floor Luton | Crew Van Enterprise |
|--|--------|-----------------|----------|------|------|-------------------|-------|------|----------|------|-------------|------|-----------------|---------------------|
|  | L2     | L3              | L2       | L3   | L4   | L3                | L3    | L4   | L3       | L4   | L3          | L4   | L3              | L3H2                |
| Wheelbase                                | 3450   | 4035            | 3450     | 4035 | 4035 | 4035              | 4035  | 4035 | 4035     | 4035 | 4035        | 4035 | 4035            | 4035                |
| Overall length                           | 5895   | 6100            | 5645     | 6229 | 6594 | 6229              | 5970  | 6590 | 5970     | 6590 | 5970        | 6590 | 5970            | 5998                |
| Overall height                           | 2370   | 2370            | 2370     | 2370 | 2370 | 2370              | 3200  | 3200 | 3200     | 3200 | 3320        | 3320 | 3170            | 2522                |
| Width (excl. door mirrors)               | 2087   | 2087            | 2087     | 2087 | 2087 | 2087              | 2085  | 2085 | 2085     | 2085 | 2085        | 2085 | 2200            | 2050                |
| Front overhang                           | 948    | 948             | 948      | 948  | 948  | 948               | 948   | 948  | 948      | 948  | 948         | 948  | 948             | 948                 |
| Rear overhang (including rear light bar) | 1497   | 1117            | 1247     | 1246 | 1581 | 1246              | 987   | 1607 | 987      | 1607 | 987         | 1607 | 987             | 1015                |

| INTERIOR CONVERSION DIMENSIONS (mm) | Tipper | Crew Cab Tipper | Dropside |      |      | Crew Cab Dropside | Luton |      | Box Body |      | Curtainside |      | Low-Floor Luton | Crew Van Enterprise |
|-------------------------------------|--------|-----------------|----------|------|------|-------------------|-------|------|----------|------|-------------|------|-----------------|---------------------|
|                                     | L2     | L3              | L2       | L3   | L4   | L3                | L3    | L4   | L3       | L4   | L3          | L4   | L3              | L3H2                |
| Volume (m <sup>3</sup> )            | -      | -               | -        | -    | -    | -                 | 16    | 20   | 16       | 20   | 17          | 20   | 20              | 10.5                |
| Conversion body length              | 2870   | 2670            | 3059     | 3644 | 4099 | 2805              | 3480  | 4150 | 3480     | 4150 | 3480        | 4150 | 4100            | -                   |
| Conversion body height              | -      | -               | -        | -    | -    | -                 | 2235  | 2390 | 2235     | 2390 | 2350        | 2350 | 2250            | -                   |
| Conversion body width               | 2026   | 2026            | 2026     | 2026 | 2026 | 2026              | 2057  | 2057 | 2057     | 2057 | 2057        | 2085 | 2100            | -                   |

## 8.1 FURTHER INFORMATION

### MANUFACTURER'S RECOMMENDED RETAIL PRICE ON THE ROAD

|                                    | RELAY<br>On the Road Costs |
|------------------------------------|----------------------------|
| Delivery to Dealer & Number Plates | £641.67                    |
| VAT                                | £128.33                    |
| Vehicle Excise Duty*               | £260.00                    |
| First Registration Fee             | £55.00                     |
| <b>Total OTR costs</b>             | <b>£1,085.00</b>           |

\* Note, for goods vehicles with a payload above 3500kg the Vehicle Excise Duty is £165

VAT is calculated at 20 %

VAT is not applicable to vehicles sold in the Channel Islands

### CITROËN 3 YEARS OF WARRANTY

All vehicles first registered in the UK and purchased from a UK Citroën Dealer benefit from a Citroën 2 - Year unlimited mileage manufacturer's warranty and a free optional additional 1 year of warranty provided by the Citroën Dealer Network in the UK. This additional warranty carries a mileage limit of 100,000 miles from first registration and is dependent upon the manufacturer's recommended servicing being carried out at the specified time or distance intervals. For full terms and conditions, please consult your Citroën Dealer in the UK.

### CITROËN ASSISTANCE

In response to a free telephone call in the UK, Citroën Assistance brings rapid expert roadside assistance to you in an emergency. It comes free of charge for a full year, from date of vehicle registration, and operates 24 hours a day in all parts of the UK and Europe. Services include nationwide recovery for both van and passengers, a home call service, replacement vehicle, hotel accommodation and vehicle storage if required. You can also purchase additional Citroën Assistance via your local Citroën Dealer at any time. Please note, Citroën Assistance only applies to incidents covered by the new vehicle warranty, and excludes non-vehicle faults, such as running out of fuel, mis-fuelling, loss of keys, lock-ins, road traffic accidents and punctures/wheel changes. Full details are available on request from Citroën UK via [cuk\\_contactcentre@citroen.com](mailto:cuk_contactcentre@citroen.com)

### CITROËN FINANCIAL SERVICES

Free2Move have a number of financial products designed to help you afford the Citroën of your choice. We can arrange a finance plan quickly and conveniently. What's more, it will be as suited to your needs as your new Citroën. Our finance plans combine all the know how of a company that has an extensive knowledge of the car market with a financial service you can trust. Tell your Citroën dealer what you want and let us do the rest. Just ask for a free, no obligation quote. Written quotations are available on request from Banque PSA UK Finance Ltd, 61 London Road, Redhill RH1 1QA. Finance is subject to status. Over 18's only, a guarantee may be required.

### CITROËN SERVICING

Available up to one year from your vehicle's registration date, but before its first chargeable service, a Citroën Servicing package enables you to pay in advance for:

- ' Scheduled Servicing
- ' Annual Service(s) for vehicles with a two year service plan
- ' Brake Fluid Replacement

This package can be personalised depending on your needs, with options ranging from 12 to 60 months and 10,000 to 100,000 miles.

### TERMS AND CONDITIONS

Every endeavour has been made to ensure that the information, details and descriptions set out in this literature are correct at the time of going to print. It is our policy to continually improve our vehicles in every way and we reserve the right to modify our vehicles' price, specification (including colour), equipment, accessories and characteristics or to discontinue any model, without notice, at any time. To avoid any misunderstandings you are advised to check with your Citroën dealer the specification (including colour), equipment accessories and equipment relating to any Citroën vehicle and the exact cost and availability prior to ordering. Where a feature is described as an option in this publication it should be assumed that it is at extra cost unless specifically stated otherwise.

Issued by Sales and Marketing, Citroën UK Ltd, Pinley House, 2 Sunbeam Way, Coventry CV3 1ND.

For further information call Citroën Fleet Connect on 0800 023 4000 or visit our website at [www.citroen.co.uk](http://www.citroen.co.uk).



**PURE VANS**

**Telephone - 01633-212944**

**Email - sales@purevans.com**

**www.purevans.com**