

### **CITROEN**

# Relay

# Ready to Run

PRICES, EQUIPMENT AND TECHNICAL SPECIFICATIONS

April 2018 Model Year 2018



### 1a. CHOOSE YOUR CONVERSION

### **READY TO RUN RANGE**

### ALL READY TO RUN VEHICLES ARE BUILT ON OUR PLUS RANGE OF CHASSIS CABS. STANDARD EQUIPMENT INCLUDES:

- Manual air conditioning for cab area
  - Reinforced battery
- Extended wiring at rear of vehicle
- Trifunction aerial in the wing mirror
- Heavy Duty rear twin-leaf suspension (n/a on low-floor lutons)

### **TIPPERS**

Tippers are commercial vehicles with an open platform that can be raised at the cab end to enable the load to be tipped out with ease.

Load length up to 2.87m
Payload^ up to 1,222kg
Body approved to European design standards

#### **KEY FEATURES:**

- Double-skinned aluminium sideboards
- Three levels of load-lashing rails against the bulkhead and long laod-lashing rail incorporated along top of the tailboard
- High vis red and yellow finish to the tailboard
- 15mm thick, full birch non-slip deck
- Lashing rings built into aluminium side extrusions
- Electro-hydraulic lift with automatic overload

### **DROPSIDES**

Dropsides are commercial vehicles with an open platform that has fold-down side panels, allowing easy loading and unloading of goods.

Load length up to 3.64m Payload^ up to 1,441kg Body approved to European design standards

### **KEY FEATURES:**

- Boards are designed to withstand a burst load of 1.7 tonnes
- Three levels of load-lashing rails against the bulkhead
- Aluminium corner posts that extend above tailboard to form lateral stops
- 15mm thick, full birch non-slip deck
- Lashing rings built into aluminium side extrusions

### 1b. CHOOSE YOUR CONVERSION

### **READY TO RUN RANGE**

### ALL READY TO RUN VEHICLES ARE BUILT ON OUR PLUS RANGE OF CHASSIS CABS. STANDARD EQUIPMENT INCLUDES:

- Manual air conditioning for cab area
  - Reinforced battery
- Extended wiring at rear of vehicle
- Trifunction aerial in the wing mirror
- Heavy Duty rear twin-leaf suspension (n/a on low-floor lutons)

### **LUTONS/BOX BODIES**

Lutons/box bodies are chassis fitted with a large enclosed box on the back. The cargo area of the luton van extends over the cab, whilst the cargo area of the box body doesn't reach past the bulkhead. These vehicles are perfect for moving large goods.

> Load volume up to 20m³ Payload^ up to 1,147kg

Body approved to European design standards

#### **KEY FEATURES:**

- Aerodynamic pod providing additional storage area (Luton only)
- Lightweight roller shutter rear door
- High-quality GRP panels (11mm thick)
- 15mm thick floor
- Internal load locks and tie rails along side panels
- · Interior LED light
- High impact kick strips along side panels and

### **CURTAINSIDES**

Curtainsides are similar to box vans, except the sides of the body slide open (like curtains), enabling side access as well as rear access for loading and unloading goods.

### **KEY FEATURES:**

- Aerodynamic pod providing additional storage area
- Lightweight rear barn doors with anti-rust external locking
- Load volume up to 20m³
  Payload^ up to 965kg
  Body approved to European
- Blue curtains with side aperture of 2080mm
- 15mm thick floor
- $^{\bullet}$  Aluminium  $^{\prime}V^{\prime}$  groove side rave with four pull-up hooks every 1000mm
- Interior LED light
- High impact kick strip along bulkhead providing protection

### 2a. CHOOSE YOUR VERSION

April 2018

Citroen Relay Conversion Base Vehicles: Manufacturer's Recommended Retail Price List

	35 B	lueHD	i 130	& 35 I	HEAVY BlueH	IDi 1	60 MOE	DELS	S - STO	CK ON	ILY		
TRIM LEVEL	VERSION	LENGTH (mm)	MODEL	внр	VERSION TITRE CODE	PAY- LOAD (kg)	GROSS VEHICLE WEIGHT (kg)	CO2 g/km	BASIC MRRP (£)	VAT (£)	TOTAL (£)	OTR COST (£)	ON THE ROAD MRRP (£)
	TIPPE	RS & DI	ROPSID	ES									
	TIPPER	L2	35	130	2CU94FHKX670Z0C0	1212	3500	173	29,530.00	5,906.00	35,436.00	1,050.00	36,486.00
S	TIPPER CREW	L3	35	130	2CU96XHKX670Z0C0	1023	3500	173	31,530.00	6,306.00	37,836.00	1,050.00	38,886.00
PLUS	DROPSIDE	L2	35	130	2CU94FHKX670Z2C0	1431	3500	173	27,530.00	5,506.00	33,036.00	1,050.00	34,086.00
ᇫ	DROPSIDE	L3	35 HEAVY	160	2CU96GHKY670Z0C2	1316	3500	173	28,530.00	5,706.00	34,236.00	1,050.00	35,286.00
	DROPSIDE CREW	L3	35	130	2CU96XHKX670Z2C0	1243	3500	173	29,530.00	5,906.00	35,436.00	1,050.00	36,486.00
TRIM LEVEL	VERSION	LENGTH (mm)	MODEL	ВНР	VERSION TITRE CODE	PAY- LOAD (kg)	GROSS VEHICLE WEIGHT (kg)	CO2 g/km	BASIC MRRP (£)	VAT (£)	TOTAL (£)	OTR COST (£)	ON THE ROAD MRRP (£)
	LUTON	S & CUF	TAINSI	DES									
	LUTON	L3	35 HEAVY	160	2CU96GHKY670Z4C2	1107	3500	173	31,530.00	6,306.00	37,836.00	1,050.00	38,886.00
ns	LUTON	L4	35 HEAVY	160	2CU96GHKY670Z5C2	939	3500	173	32,530.00	6,506.00	39,036.00	1,050.00	40,086.00
PLUS	CURTAINSIDE	L3	35 HEAVY	160	2CU96GHKY670Z8C2	925	3500	173	32,830.00	6,566.00	39,396.00	1,050.00	40,446.00
	CURTAINSIDE	L4	35 HEAVY	160	2CU96GHKY670Z9C2	839	3500	173	33,830.00	6,766.00	40,596.00	1,050.00	41,646.00
AVAILABLE FROI							<b>RIL 201</b>	8					
TRIM LEVEL	VERSION	LENGTH (mm)	MODEL	ВНР	VERSION TITRE CODE	PAY- LOAD (kg)	GROSS VEHICLE WEIGHT (kg)	CO2 g/km	BASIC MRRP (£)	VAT (£)	TOTAL (£)	OTR COST (£)	ON THE ROAD MRRP (£)
	TIPPE	RS & DF	ROPSID	ES									
	TIPPER	L2	35	160	2CU94FHKY670Z0C0	1212	3500	173	29,530.00	5,906.00	35,436.00	1,050.00	36,486.00
S	TIPPER CREW	L3	35	160	2CU96XHKY670Z0C0	1023	3500	173	31,530.00	6,306.00	37,836.00	1,050.00	38,886.00
PLUS	DROPSIDE	L2	35	160	2CU94FHKY670Z2C0	1431	3500	173	27,530.00	5,506.00	33,036.00	1,050.00	34,086.00
Ф	DROPSIDE	L3	35	160	2CU96FHKY670Z0C0	1356	3500	173	28,530.00	5,706.00	34,236.00	1,050.00	35,286.00
	DROPSIDE CREW	L3	35	160	2CU96XHKY670Z2C0	1243	3500	173	29,530.00	5,906.00	35,436.00	1,050.00	36,486.00
TRIM LEVEL	VERSION	LENGTH (mm)	MODEL	ВНР	VERSION TITRE CODE	PAY- LOAD (kg)	GROSS VEHICLE WEIGHT (kg)	CO2 g/km	BASIC MRRP (£)	VAT (£)	TOTAL (£)	OTR COST (£)	ON THE ROAD MRRP (£)
	LUTONS, BOX	BODIES	& CUR	TAINS	DES								
	LUTON	L3	35	160	2CU96FHKY670Z4C0	1147	3500	173	31,530.00	6,306.00	37,836.00	1,050.00	38,886.00
_	LUTON	L4	35	160	2CU96FHKY670Z5C0	979	3500	173	32,530.00	6,506.00	39,036.00	1,050.00	40,086.00
ns	BOX BODY	L3	35	160	2CU96FHKY670Z6C0	1051	3500	173	30,530.00	6,106.00	36,636.00	1,050.00	37,686.00
PL	BOX BODY	L4	35	160	2CU96FHKY670Z7C0	983	3500	173	31,530.00	6,306.00	37,836.00	1,050.00	38,886.00
	CURTAINSIDE	L3	35	160	2CU96FHKY670Z8C0	965	3500	173	32,830.00	6,566.00	39,396.00	1,050.00	40,446.00
	CURTAINSIDE	L4	35	160	2CU96FHKY670Z9C0	879	3500	173	33,830.00	6,766.00	40,596.00	1,050.00	41,646.00
TRIM LEVEL	VERSION	LENGTH (mm)	MODEL	ВНР	VERSION TITRE CODE	PAY- LOAD (kg)	GROSS VEHICLE WEIGHT (kg)	CO2 g/km	BASIC MRRP (£)	VAT (£)	TOTAL (£)	OTR COST (£)	ON THE ROAD MRRP (£)
	LOV	/-FLOOF	1OTUL	1									
PLUS	LOW-FLOOR LUTON	L3	35	160	2CU96QHKY670Z9C0	1303	3500	173	35,230.00	7,046.00	42,276.00	1,050.00	43,326.00

### 3. CHOOSE YOUR EQUIPMENT

THE CHARGE STREAM TRANSPORT  THE CHARGE STREA							
M. D. Old Dipoli Relation foldering Between	Equipment Description	TIPPERS	DROPSIDES	LUTONS	BOX BODIES	CURTAINSIDES	LOW-FLOOR LUTONS
Théoretion and all may gainer	TECHNOLOGY & ENTERTAINMENT				•		
Four speakers of gendern and 2 aceterial  HEATING A VERIFICATION  Worked an and addressing for sich area, including glosobos  COMPICED AND CONVENTINGE  Verified assisted grows stately grows training grows and grows a	FM, DAB Digital Radio including Bluetooth	•	•	•	•	•	•
HEATING A VERTILATION  COMPLOY AND CONVENIENCE  Contribution of the contribution of th	Trifunction aerial in wing mirror	•	•	•	•	•	•
Mountal air confescing for not more, including gloradous  Variable assessed givener successing  Secretarily adjuncted and historications  Secretarily adjuncted and historications on the secretarily adjuncted and historications of the secretarily adjuncted for the secretarily adjuncted fo	Four speakers (2 speakers and 2 tweeters)	•	•	•	•	•	•
Control AND CONVENERCE  White assumed power reversery Gast white Assumed power reversery Gast white Assumed and Power reversery Benefic fear reversery Benefic f	HEATING & VENTILATION						•
Committee   Comm	Manual air conditioning for cab area, including glovebox	•	•	•	•	•	•
Gest abilit infections  Electric from varieties  Restrictly adjustable and heated door minror  Electric from varieties  Restrictly adjustable sectors goldner  Cernal dash daily adjustable sectors goldner  Cernal dash daily adjustable sectors goldner  ESP Incident part of the sector	COMFORT AND CONVENIENCE						
Gest abilit infections  Electric from varieties  Restrictly adjustable and heated door minror  Electric from varieties  Restrictly adjustable sectors goldner  Cernal dash daily adjustable sectors goldner  Cernal dash daily adjustable sectors goldner  ESP Incident part of the sector	Variable assisted power steering	•	•			•	•
Electricity alphanulate and hasted door arrivers							•
Electic front valvious versus gratumes  Electic front valvious valvious versus gratumes  Front for level varies and to stake various demonstrace  START VA START VA START VA			_	-		-	_
Rech of Josephale Interior grotum  Final fraction of every and two sides window deminates  SASS STATE ASSECTION TO  ASSECTION OF THE CONTRIBUTION							
Cornel dath folding eliphaned folioteder with passengery arbag) For face face level west and based without demosters  SAFETY & SECURITY  ASS  SES Producting treatmen controll  SES Producting treatmen controll  Control database and treatment of the control of th							-
Fose Filter Ped Vester until brox vide unitous versions of the ped vester until brox video demoters  ARS  ARS  ARS  ARS  ARS  ARS  ARS  AR				-		-	-
SAFETY SECURITY  SPE (recluding traction control)  SPE (recluding traction			-				
ASS SEP (Including section control)  BPD FIRST Control Control  BPD FIRST CONTROL CONTROL  BPD FIRST CONTROL  CONTROL		•	•	•	•	•	•
SP finishing success control			T	T	1	T	
EBED Elscronne Brake Force Darbatoskon							
Intelligent Fraction Control  O O O O O O O O O O O O O O O O O O O						_	
Oll leed indicators  Speed limiter - non fistory opsion, Dealer attivation required  O O O O O O O O O O O O O O O O O O O							
Speed limiter - non factory option, Dealer activation required  D D D D D D D D D D D D D D D D D D D							
Dieser Archag Spers wheel Deadlocks  Three 28 point inertia reel, height adjustable scatables (Two with single passenger seat) Three 28 point inertia reel, height adjustable scatables (Two with single passenger seat) Three 28 point inertia reel, height adjustable scatables (Two with single passenger seat) Three 28 point inertia reel, height adjustable scatables (Two with single passenger seat) Three 28 point inertia reel, height adjustable scatables (Two with single passenger seat) Three 28 point inertia reel, height adjustable scatables (Two with single passenger seat) Three 28 point inertia reel, height adjustable scatables (Two with single passenger seat) Three 28 point inertia reel, height adjustable scatables (Two with single passenger seat) Three 28 point inertia reel, height adjustable scatables (Two with single passenger seat)  Three 28 point inertia reel, height adjustables (Two with single passenger seat)  Three 28 point inertia reel, height adjustable scatables (Two with single passenger seat)  Three 28 point inertia reel, height adjustable scatables (Two with single passenger seat)  Three 28 point inertia reel, height adjustable scatables (Two with single passenger seat)  Three 28 point inertia reel, height adjustable scatables (Two with single passenger seat)  Three 28 point inertia reel, height adjustable scatables (Two with single passenger seat)  Three 28 point inertia reel, height adjustable scatables (Two with single passenger seat)  Three 28 point inertia reel, height adjustable scatables (Two with single passenger seat)  Three 28 point inertia reel, height adjustable scatables (Two with single passenger seat)  Three 28 point inertia reel, height and lumbar adjustment with armest from two armests  Three 29 point inertia reel, being the scatables to outer seats, lap belts to inner seats  Three 29 point inertia reel, belt adjustable to inner seats  Three 29 point inertia reel, belt adjustable to inner seats  Three 20 point inertia reel passenger seat fined  Three 20 point inertia reel, belt adj							
Spear wheel							
Peadlecks   Pead	·					-	
Three x3 priori inertia reed, height adjustable seatbelts (Two with single passenger seat)  Thatcham rolling transponder immobiliser  2 betton pilip remote control central lacking x1  3 c	•						
Thatcham rolling transponder immobiliser							-
Zebetton play remote control central locking x 1  Visible Vehicle Identification Number (at base of windsreen)  EXERCISE LIGHTING & VISIBILITY  Halogon headlights with clear polycarbonate lenses  Remote headlight adjustment from facis  Remote facility adjustment from facis  Remote faci							•
Visible Vehicle Identification Number (at base of windscreen)							
Facility						_	
Halogen headlights with clear polycarbonate lenses		•	•	•	•	•	•
Rear fog lights and twin reversing lights  Remote headlight adjustment from facio  I			T	T		ſ	
Remote headlight adjustment from facia  Institute of pixer of pixe							
Filtering tinted glass  Prospeed and intermittent front wipers  Prospeed and intermittent front door and intermittent front door and intermittent front door annexts  Prospect front fron		•	•	•	•	•	•
Two speed and intermittent front wipers	Remote headlight adjustment from facia	•	•	•	•	•	•
Speedometer with digital odometer and digital trip recorder   Speedometer with digital odometer and subject with digital trip recorder   Speedometer with digital odometer and subject with digital trip recorder   Speedometer with digital recorder and subject with digital trip recorder with digital trip recorder   Speedometer with digital recorder and subject with digital trip recorder with digital trip re	Filtering tinted glass	•	•	•	•	•	•
Speedometer with digital odometer and digital trip recorder  Rev counter, water temperature gauge, fuel gauge and trip computer  Rev counter, water temperature gauge, fuel gauge and trip computer  Digital clock  Lights on alarm  Door open warning for cab doors  INTERIOR FEATURES  Two glove boxes (central glove box lockable)  Large driver & passenger door pockets  Open storage on passenger side lower dash  Large driver & passenger door pockets  Open storage on passenger side lower dash  Large driver & passenger side lower dash  Large driver & passenger door pockets  Open storage on passenger side lower dash  Large driver & passenger side lower dash  Lar	Two speed and intermittent front wipers	•	•	•	•	•	•
Rev counter, water temperature gauge, fuel gauge and trip computer  Side light, headlamp, indicator and battery charge warning  Digital clock  Digital clock  Digital clock  Digital clock  Door open warning for cab doors  NO glove boxes (central glove box lockable)  Large driver & passenger door pockets  Open storage on passenger door pockets  Open storage on passenger door pockets  Open storage on passenger dole word dash  Doverhead storage shelf  SEATING  Driver's seat rake, reach, height and lumbar adjustment with armrest  Dual cab passenger seat - fixed  Dual cab passenger seat - fixe	INSTRUMENTS						
Side light, headlamp, indicator and battery charge warning  Digital clock  Digita	Speedometer with digital odometer and digital trip recorder	•	•	•	•	•	•
Digital clock Lights on alarm Door open warning for cab doors Door open warning for cab doors InterRIOR FEATURES Two glove boxes (central glove box lockable) Large driver & passenger door pockets Open storage on passenger side lower dash 12v socket in cabin Interior light front cabin Overhead storage shelf SEATING  Diver's seat rake, reach, height and lumbar adjustment with armrest Front door armrests Diver's seat rake, reach, height and lumbar adjustment with armrest Front door armrests Diver's seat rake reach, height and lumbar adjustment with armrest Front door armrests Diver's seat rake reach, height and lumbar adjustment with armrest Front door armrests Diver's seat rake reach, height and lumbar adjustment with armrest Crew caborby	Rev counter, water temperature gauge, fuel gauge and trip computer	•	•	•	•	•	•
Lights on alarm  Door open warning for cab doors  NTERIOR FEATURES  Two glove boxes (central glove box lockable)  Large driver & passenger door pockets  Open storage on passenger side lower dash  12v socket in cabin  Interior light front cabin  Overhead storage shelf  SEATING  Diver's seat rake, reach, height and lumbar adjustment with armrest  Front door armests  Dual cab passenger seat - fixed  Four seat rear bench with 3-point seatbelts to outer seats, lap belts to inner seats  Non slip hardwearing front cabin floor covering  CONVENTER OPTIONS  Extended wiring at rear of webicle  Heavy duty rear twin-leaf suspension  Wider door mirrors - allows max body width of 2200mm	Side light, headlamp, indicator and battery charge warning	•	•	•	•	•	•
Lights on alarm  Door open warning for cab doors  NTERIOR FEATURES  Two glove boxes (central glove box lockable)  Large driver & passenger door pockets  Open storage on passenger side lower dash  12v socket in cabin  Interior light front cabin  Overhead storage shelf  SEATING  Diver's seat rake, reach, height and lumbar adjustment with armrest  Front door armests  Dual cab passenger seat - fixed  Four seat rear bench with 3-point seatbelts to outer seats, lap belts to inner seats  Non slip hardwearing front cabin floor covering  CONVENTER OPTIONS  Extended wiring at rear of webicle  Heavy duty rear twin-leaf suspension  Wider door mirrors - allows max body width of 2200mm	Digital clock	•	•	•	•	•	•
Door open warning for cab doors  INTERIOR FEATURES  Two glove boxes (central glove box lockable)  Large driver & passenger door pockets  Open storage on passenger side lower dash  12v socket in cabin  Interior light front cabin  Overhead storage shelf  SEATING  Diver's seat rake, reach, height and lumbar adjustment with armrest  Front door armrests  Dual cab passenger seat - fixed  Four seat rear bench with 3-point seatbelts to outer seats, lap belts to inner seats  Non slip hardwearing front cabin floor covering  CONVERTER OPTIONS  Extended wiring at rear of vehicle  Heavy duty rear twin-leaf suspension  Wider door mirrors - allows max body width of 2200mm			•			•	•
Interior Eartures  Two glove boxes (central glove box lockable)  Large driver & passenger door pockets  Open storage on passenger side lower dash  12v socket in cabin  Interior light front cabin  Overhead storage shelf  SEATING  Driver's seat rake, reach, height and lumbar adjustment with armrest  Front door armrests  Dual cab passenger seat - fixed  Four seat rear bench with 3-point seatbelts to outer seats, lap belts to inner seats  (Crew cab only)  (Crew cab only)  (Crew cab only)  Extended witing at rear of vehicle  Heavy duty rear twin-leaf suspension  Wider door mirrors - allows max body width of 2200mm			•				•
Two glove boxes (central glove box lockable)  Large driver & passenger door pockets  Open storage on passenger side lower dash  12v socket in cabin  Open storage on passenger side lower dash  Open storage on passenger side of the second open dash  Open storage on passenger side open down	, ,	-				•	<b>.</b>
Large driver & passenger door pockets  Open storage on passenger side lower dash  12v socket in cabin  Open storage on passenger side lower dash  Open storage on passenger side of the second open side of the second open socket on the second open socket o			1		_		
Open storage on passenger side lower dash  12v socket in cabin  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0							
12v socket in cabin  Overhead storage shelf  SEATING  Driver's seat rake, reach, height and lumbar adjustment with armrest  Front door armrests  Dual cab passenger seat - fixed  Four seat rear bench with 3-point seatbelts to outer seats, lap belts to inner seats  (Crew cab only)  CONVERTER OPTIONS  Reinforced battery (110Ah)  Extended wiring at rear of vehicle  Heavy duty rear twin-leaf suspension  Wider door mirrors - allows max body width of 2200mm							•
Interior light front cabin  Overhead storage shelf  SEATING  Driver's seat rake, reach, height and lumbar adjustment with armrest  Front door armrests  Dual cab passenger seat - fixed  Four seat rear bench with 3-point seatbelts to outer seats, lap belts to inner seats  Non slip hardwearing front cabin floor covering  CONVERTER OPTIONS  Reinforced battery (110Ah)  Extended wiring at rear of vehicle  Heavy duty rear twin-leaf suspension  Wider door mirrors - allows max body width of 2200mm			•			•	•
Overhead storage shelf  Driver's seat rake, reach, height and lumbar adjustment with armrest  Driver's seat rake, reach, height and lumbar adjustment with armrest  Dual cab passenger seat - fixed  Dual cab passenger seat - fixed  Dual cab passenger seat - fixed  Four seat rear bench with 3-point seatbelts to outer seats, lap belts to inner seats  Crew cab only   C		•	•	•		•	•
SEATING  Driver's seat rake, reach, height and lumbar adjustment with armrest  • • • • • • • • • • • • • • • • • • •	<u> </u>	•	•	•	•	•	•
Driver's seat rake, reach, height and lumbar adjustment with armrest  Pront door armrests  Dual cab passenger seat - fixed  Four seat rear bench with 3-point seatbelts to outer seats, lap belts to inner seats  Crew cab only)  Non slip hardwearing front cabin floor covering  CONVERTER OPTIONS  Reinforced battery (110Ah)  Extended wiring at rear of vehicle  Heavy duty rear twin-leaf suspension  Wider door mirrors - allows max body width of 2200mm		•	•	•	•	•	•
Front door armrests  Dual cab passenger seat - fixed  Four seat rear bench with 3-point seatbelts to outer seats, lap belts to inner seats  (Crew cab only)  CONVERTER OPTIONS  Reinforced battery (110Ah)  Extended wiring at rear of vehicle  Heavy duty rear twin-leaf suspension  Wider door mirrors - allows max body width of 2200mm	SEATING						
Dual cab passenger seat - fixed  four seat rear bench with 3-point seatbelts to outer seats, lap belts to inner seats  (Crew cab only)  (Crew	Driver's seat rake, reach, height and lumbar adjustment with armrest	•	•	•	•	•	•
Four seat rear bench with 3-point seatbelts to outer seats, lap belts to inner seats  (Crew cab only)  (Crew	Front door armrests	•	•	•	•	•	•
Non slip hardwearing front cabin floor covering  CONVERTER OPTIONS  Reinforced battery (110Ah)  Extended wiring at rear of vehicle  Heavy duty rear twin-leaf suspension  Wider door mirrors - allows max body width of 2200mm	Dual cab passenger seat - fixed	•	•	•	•	•	•
Non slip hardwearing front cabin floor covering  CONVERTER OPTIONS  Reinforced battery (110Ah)  Extended wiring at rear of vehicle  Heavy duty rear twin-leaf suspension  Wider door mirrors - allows max body width of 2200mm		•	. •		-	-	
CONVERTER OPTIONS           Reinforced battery (110Ah)         • • • • • • • • • • • • • • • • • • •							
Reinforced battery (110Ah)         • • • • • • • • • • • • • • • • • • •							-
Extended wiring at rear of vehicle  Heavy duty rear twin-leaf suspension  Wider door mirrors - allows max body width of 2200mm  • • • • • • • • • • • • • • • • • •							
Heavy duty rear twin-leaf suspension         ●         ●         ●         •							
Wider door mirrors - allows max body width of 2200mm							•
							-
Conversion interface box         •         •         •         •	,						
	Conversion interface box	•	•	•	•	•	•

# 4. CHOOSE YOUR FACTORY OPTIONS


TIPPERS   DROPSIDES   LUTONS   BOX BODIES   CURTAINSIDES   LOW-FLOOR   MIRRIP   20%   TOTAL   MIRRIP	Key: ● = standard, ○ = option at cost	t									
PM Reduc   DMS, Blacecoth, Too-friences   Record   D	y sumandy opport at cox		TIPPERS	DROPSIDES	LUTONS	BOX BODIES	CURTAINSIDES				
Transference and early facility and the present short present of the present of t	COMFORT & CONVE	NIENC	E								
Transference and early facility and the present short present of the present of t	FM Radio, DAB, Bluetooth,								П		
Include Air   Section	Touchscreen	RC60	•	•	•	•	•	•	£200.00	£40.00	£240.00
Include Air   Section	Intelligent Traction Control.										
Incompacified with MION Uprated   She sharper 257/701   She shar	_		_	_	_	_	_	_			
Perfect of a control of the contro	Incompatible with MI01 Uprated	UF04	3	3	3	3	3	3	£550.00	£110.00	£660.00
Personage and antificial allow Personage and purificial allow Personage and antificial allow Personage and purificial allow Personage and antificial allow Personage and purificial allow Personage and antificial allow Personage antificial allow Personage antificial allow Personage antificial allow Personage an	15 inch tyres (225/70)										
Personage analogo (normpostible with manifolds) INFOIL SERVICE (1997) Introduced the service of	SAFETY & SECURITY										
with heal and cutrain arbegs. INNOTA Side and cutrain arbegs. InnoTechnology and cutrain arbegs. InnoT	Perimeter and anti-lift alarm	WC05	0	0	0	0	0	0	£200.00	£40.00	£240.00
NPOAL   Set and cutation arrivages, Incompatible with passenger search and with public moderated plant haves, (Single passenger search and with public moderated plant arrivage)   NPOAL   O	Passenger airbag. Incompatible										
Side and cuttin arbogs. Incompatible with passenger bench seat. (Single passenger seat and arbogs become seat arbogs become seat and arbogs become seat arbogs become seat and arbogs become seat arbogs	with said and curtain airbags	NN01	•	•	•	•	•	•	£180.00	£36.00	£216.00
NFOAD   NFOA	<u>' '</u>										
Deed sear,   Single passenge	_										
seat and airbing become standard when ordered]   HC07		NF04	0	0	0	0	0	_	£375.00	£75.00	£450.00
Standard when cedered		11104			,				207 3.00	2, 5.00	2-150.00
Digital Tackgogagh	_										
Speed Limiter		HC07	0	0	0	0	0	0	£450.00	£90.00	£540.00
Speed Limiter   Speed Limiter   Li	_	RG03	0	0	0	0	0	0	£135.00	£27.00	£162.00
Lane departure warning system   LOT   O   O   O   O   O   O   O   O   O	Speed Limiter	11003	•	•	•	•	•	•	2.03.00	227.00	2.02.00
TYRES & SUSPENSION	Tyre pressure monitoring system	UEO1	O	0	O	0	0	•	£90.00	£18.00	£108.00
Alloy wheels - 15°. Not available on Heavy versions Uprated tyres - 225/70/R15. Uprate	Lane departure warning system	LI01	0	0	0	0	0	0	£300.00	£60.00	£360.00
On Heavy versions	TYRES & SUSPENSIC	N									
Uprated types - 225/70/R15.   Not available on Heavy versions.   Present when rear pneumatic suspension (LIPO4)   Sept.   Not available on Heavy versions.   MilO1   O   O   O   O   E70.00   £14.00   £84.00		DZ85	0	0	0	0	0	0	£385.00	£77.00	£462.00
Not available on Heavy versions. Present when rear pneumatic suspension (LAOA) is ordered. Incompatible with Intelligent Traction Control (LFOA)  Rear pneumatic suspension (self-land) incompatible with Intelligent Traction Control (LFOA)  Rear pneumatic suspension (self-land) incompatible with Intelligent Traction Control (LFOA)  Rear pneumatic suspension (self-land) incompatible with Intelligent Traction Control (LFOA)  Rear pneumatic suspension (self-land) incompatible with Intelligent Traction Control (LFOA)  Rear pneumatic suspension (self-land) incompatible with Intelligent Traction Control (LFOA)  Rear pneumatic suspension (self-land) incompatible with Intelligent Traction Control (LFOA)  Rear pneumatic suspension (self-land) incompatible with Intelligent Intelligent Intelligent (RDI) incompatible with Intelligent In	on Heavy versions										
Present when rear pneumatic suspension (IJAO4) is ordered.   Incompatible with Intelligent   Traction Control (UPO4)											
suspension (UAOA) is ordered. Incompatible with Intelligent Traction Control (UFO4)  Rear pneumatic suspension (self-adjusting)  EXTERIOR LIGHTING & VISIBILITY  Automatic lights and wipers   NBO8   O O O O O O O O O O O O O O O O O O	· ·										
Incompatible with Intelligent   Traction Control (UFO4)		MI01	•	•	•	•	•	•	£70.00	£14.00	£84.00
Traction Control (UF04)   Rear pneumatic suspension (self-adjusting)   LA04	· ·										
Rear pneumatic suspension (self-adjusting)											
Add											
Automatic lights and wipers   NB08   O		UA04	-	-	-	-	-	•	£990.00	£198.00	£1,188.00
Automatic lights and wipers   NB08   O O O O O O O O O O O O O O O O O O		& VIS	BILITY								
Front fog lights. Present when headlight washers (ND02) are ordered Front LED daytime running lights Front ED daytime running lights FE10 O O O O O O O D E19.00 E19.00 E114.00 E114.0				0				0	£100 00	£20.00	£120.00
headlight washers (NDO2) are ordered   PR01   O   O   O   O   E114.00		14000	-		3	,	3	3	2.00.00	220.00	2120.00
Front LED daytime running lights  Headlight washers. Includes front fog lights (PR01)  PAINT & TRIM  Metallic paint (cab only - see sections 5 and 6 for more details)  SEATING  Single passenger seat with armrest, height and lumbar adjustment - in lieu of dual seat  OTHER  Wider door mirrors - allows max body width of 2350mm  RX05  PE10		PRO1	•	•	•	0	•	•	£95.00	£19.00	£114.00
Itights	ordered										
lights   Headlight washers. Includes front fog lights (PR01)   PAINT & TRIM		FE10	•	•	•	•		•	£185.00	£37.00	£222.00
front fog lights (PR01)	lights			-	-	-		-			
PAINT & TRIM           Metallic paint (cab only - see sections 5 and 6 for more details)         Mo         Settling         Settling         \$2400.00         £80.00         £480		ND02	•	•	•	•	•	•	£100.00	£20.00	£120.00
Metallic paint (cab only- see sections 5 and 6 for more details)         M0         Set 100.0         £400.00         £80.00         £480.00         £00.00											
sections 5 and 6 for more details)         MO         O         O         O         E400.00         £480.00         £90.00											
SEATING   Single passenger seat with armrest, height and lumbar adjustment - in lieu of dual seat   WM08   O O O O O O O O O O O O O O O O O O		M0	0	0	0	0	0	0	£400.00	£80.00	£480.00
Single passenger seat with armrest, height and lumbar adjustment - in lieu of dual seat         WM08         O         O         £0.00	details)										
armrest, height and lumbar adjustment - in lieu of dual seat         WM08         O         O         O         O         £0.00 </td <td>SEATING</td> <td></td>	SEATING										
armrest, height and lumbar adjustment - in lieu of dual seat         WM08         O         O         O         O         £0.00 </td <td>Single passenger soat with</td> <td></td>	Single passenger soat with										
OTHER           Wider door mirrors - allows max body width of 2350mm         RX05         Concept to the control of the		WM08	0	0	0	0	O	0	00.03	00.0£	£0.00
OTHER  Wider door mirrors - allows max body width of 2350mm  RX05  O 0 0 £10.00 £60.00		100							=5.00		
Wider door mirrors - allows max body width of 2350mm         RX05         Q         Q         Q         £50.00         £10.00         £60.00									<u> </u>		
body width of 2350mm RX05 3 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5			T								
'		RX05	•	O	O	O	•	O	£50.00	£10.00	£60.00
		FX01	•	0	0	0	0	0	00.08	£16.00	£96.00

## 5. CHOOSE YOUR CONVERSION ACCESSORIES

			BASIC MRRP	VAT 20%	TOTAL MRRP	IMPACT ON PAYLOAD (KG)
TIPPERS AND DROP	PSID	ES				
Deck-mounted toolbox	228	Toolbox mounted on the deck against the bulkhead, providing  0.6 cubic metres of storage	£320.00	£64.00	£384.00	56
Light bar	229	R65 compliant LED unit incorporated into the bulkhead, provides full 360 degree visibility	£300.00	260.00	£360.00	11
Steps and grab-handles	226	Steel folding steps at the front of the platform with aluminium grip rails (high vis finish)	£55.00	£11.00	00.66£	16
Tail lift (dropside only)	230	1 metre-deep platform - incorporates folding side gates and trailing edge	£2,200.00	£440.00	£2,640.00	220
Anti-fall rails (dropside only)	231	Removable rails with a high vis finish	£270.00	£54.00	£324.00	22
<b>LUTONS/BOX BOD</b>	IES					
Tail lift	232	DEL column tail lift. 500kg capacity. 815mm platform + 205mm fixed leading edge	£1,695.00	£339.00	£2,034.00	155
Load lock track (one row). Not compatible with 240	236	Side-mounted tracks that enable secure payload storage	£135.00	£27.00	£162.00	10
Tie rail (one rail). Not compatible with 236	240	Side-mounted rails that enable secure payload storage	£135.00	£27.00	£162.00	7.5
Lashing rings (pair)	241	Recessed lashing rings (sitting 3mm above the floor) for additional load restraint options	£75.00	£15.00	£90.00	0.74
Rear barn doors (in lieu of narrow lateral shutter)	235	17mm GRP rear barn doors	£195.00	£39.00	£234.00	50
Lightweight panels	242	Replace side panels with lightweight panels	£650.00	£130.00	£780.00	-110
Lightweight base and rear frames	243	Aluminium baseframe with a pressed aluminium rear frame	£495.00	£99.00	£594.00	-75
Solid paint option to match base vehicle (conversion body only) <sup>1</sup>	247	Paint to the body of the conversion to match paint to the cab if ordered - SOLID PAINT PRICE	£950.00	£190.00	£1,140.00	0
Metallic paint option to match base vehicle (conversion body only) <sup>1</sup>	248	Paint to the body of the conversion to match paint to the cab if ordered - METALLIC PAINT PRICE	£1,155.00	£231.00	£1,386.00	0
CURTAINSIDES						
Tail lift	232	DEL column tail lift. 500kg capacity. 815mm platform + 205mm fixed leading edge	£1,695.00	2339.00	£2,034.00	155
Narrow lateral shutter (in leiu of barn doors)	244	Aluminium narrow shutters that fold up at the roof	£395.00	£79.00	£474.00	40
Lightweight wide lateral shutter (in leiu of barn doors). Not compatible with 244	245	Aluminium wide lateral shutter slides into roof allowing greater rear aperture	£495.00	£99.00	£594.00	35
Steps and grab-handles	246	2 rung pull-out step and plastic handle	£125.00	£25.00	£150.00	6
Hooks in floor (four)	234	Fitted at 1000mm intervals for additional load restraint options	£50.00	£10.00	260.00	1
LOW-FLOOR LUTON	1S					
Solid paint option to match base vehicle (conversion body only)1	252	Paint to the body of the conversion to match paint to the cab if ordered - SOLID PAINT PRICE	£900.00	£180.00	£1,080.00	0
Metallic paint option to match base vehicle (conversion body only) <sup>1</sup>	253	Paint to the body of the conversion to match paint to the cab if ordered - METALLIC PAINT PRICE	£1,200.00	£240.00	£1,440.00	0

 $<sup>{}^{1}\</sup>text{Costs}$  will be incurred for any colour other than the standard white

# 6. CHOOSE YOUR COLOUR



All models come with a magnet cloth (35FX) trim

 $Please \ be \ aware \ that \ when \ requesting \ metallic \ paint \ additional \ costs \ will \ be \ incurred \ and \ lead \ times \ will \ be \ increased.$ 

Please be aware paint only applies to the cab, please see section 5 for cost of paint to the conversion body

### 7a. KNOW EVERYTHING ABOUT YOUR VEHICLE - STOCK MODELS

	Weights & Dimensions												
							_	_	_	_	_		
							Lutons,	box bodi	es and cu	ırtainsides			
	35 L2	35 L3	35 L2	35 HEAVY	35 L3		35 HEAVY						
	130	130 Crew	130	L3	130 Crew	35 HEAVY	L4	L3	L4	L3	L4		
	Tipper	Tipper	Dropside	160	Dropside	L3 Luton	Luton	160 Box body	160 Box body	160	160 Curtainside		
				Dropside				body	oody	Curtainside	Curtainside		
EXTERNAL DIMENSIONS (mm)	ļ		Ī										
Wheelbase Overall length	3450 5895	4035 6100	3450 5645	4035 6229	4035 6229	4035 5970	4035 6590	4035 5970	4035 6590	4035 5970	4035 6590		
Overall height	2370	2370	2370	2370	2370	3200	3200	3200	3200	3320	3320		
External width excluding door mirrors	2087	2087	2087	2087	2087	2085	2085	2085	2085	2085	2085		
Front overhang Rear overhang, including rear light bar	948 1497	948 1117	948 1247	948 1246	948 1246	948 987	948 1607	948 987	948 1607	948 987	948 1607		
•													
INTERNAL CONVERSION DIMENSIONS (mm)													
Volume (m³)	-	-	-	-	-	16	20	16	20	17	20		
Conversion body length	2870	2670	3059	3644	2805	3480	4150 2390	3480	4150	3480 2350	4150		
Conversion body height Conversion body width	2026	2026	2026	2026	2026	2235 2057	2057	2235 2057	2390 2057	2057	2350 2085		
WEIGHTS (kg)			ī			ī	ī	ī	ī				
Gross vehicle weight	3500 2278	3500 2467	3500 2059	3500 2174	3500 2247	3500 2392	3500 2481	3500 2489	3500 2557	3500 2575	3500 2661		
Kerb weight (without driver) <sup>1</sup> Maximum payload (without driver in the						1108			943	925			
vehicle) <sup>2</sup>	1222	1033	1441	1326	1253		939	1011			839		
Maximum front axle weight  Maximum rear axle weight	1850 2000	1850 2000	1850 2000	1850 2000	1850 2000	1850 2000	1850 2000	1850 2000	1850 2000	1850 2000	1850 2000		
Gross train weight	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000		
Maximum braked towing weight <sup>3</sup>	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500		
Maximum towball weight	100	100	100	100	100	100	100	100	100	100	100		
DRIVETRAIN													
Number of cylinders	4	4	4	4	4	4	4	4	4	4	4		
Maximum power CEE KW (bhp) @ rpm	96 (129) @ 3750rpm	96 (129) @ 3750rpm	96 (129) @ 3750rpm	120 (161) @ 3750rpm	96 (129) @ 3750rpm	120 (161) @ 3750rpm							
Maximum torque Nm @ rpm	350 @	350 @	350@	350 @	350 @	350 @	350 @	350 @	350 @	350 @	350 @		
Bore and Stroke (mm)	1750rpm 85 x 88	1750rpm 85 x 88	1750rpm 85 x 88	1750rpm 85 x 88	1750rpm 85 x 88	1750rpm 85 x 88	1750rpm 85 x 88	1750rpm 85 x 88	1750rpm 85 x 88	1750rpm 85 x 88	1750rpm 85 x 88		
Maximum road speed (mph)	93	93	93	99	93	99	99	99	99	99	99		
Euro Status	Euro 6	Euro 6	Euro 6	Euro 6	Euro 6	Euro 6	Euro 6	Euro 6	Euro 6	Euro 6	Euro 6		
FUEL CONSUMPTION (EU Directive 715/2007/CE)													
Urban L/100km (MPG)	7.1 (39.8)	7.1 (39.8)	7.1 (39.8)	7.1 (39.8)	7.1 (39.8)	7.1 (39.8)	7.1 (39.8)	7.1 (39.8)	7.1 (39.8)	7.1 (39.8)	7.1 (39.8)		
Extra urban L/100km (MPG)	6.3 (44.8)	6.3 (44.8)	6.3 (44.8)	6.3 (44.8)	6.3 (44.8)	6.3 (44.8)	6.3 (44.8)	6.3 (44.8)	6.3 (44.8)	6.3 (44.8)	6.3 (44.8)		
Combined MPG L/100km (MPG)	6.6 (42.8)	6.6 (42.8)	6.6 (42.8)	6.6 (42.8)	6.6 (42.8)	6.6 (42.8)	6.6 (42.8)	6.6 (42.8)	6.6 (42.8)	6.6 (42.8)	6.6 (42.8)		
	ı												
EMISSIONS INFORMATION  Carbon dioxide (CO2) emissions (g/km)	173	173	173	173	173	173	173	173	173	173	173		
Carour Gloride (CO2) CHISSIONS (g/ KM)	1/3	1/3	1/3	1/3	1/3	1/3	1/3	1/3	1/3	1/3	17.3		

<sup>&</sup>lt;sup>1</sup> Kerb weight is calculated including oil, water, lubricants, tools, spare wheel and 90% full fuel tank
<sup>2</sup> When calculating the payload, an average figure for the driver is 75kg (Please note: driver's weights will vary). Additional passengers and accessories must be taken into account. It is the operator's responsibility that the plate weights are not exceeded.

3 Maximum recommended towing weight within limits of GTW

### 7b. KNOW EVERYTHING ABOUT YOUR VEHICLE - MODELS FROM APRIL 2018

		Weights & Dimensions										
		Tipper	s and dr	opsides			Lutons,	box bo	dies and	curtainsic	les	Low-floor luton
	35 L2 160 Tipper	35 L3 160 Crew Tipper	35 L2 160 Dropside	35 L3 160 Dropside	35 L3 160 Crew Dropside	35 L3 160 Luton	35 L4 160 Luton	35 L3 160 Box body	35 L4 160 Box body	35 L3 160 Curtainside	35 L4 160 Curtainside	35 L3 160 Low-floor Luton
EXTERNAL DIMENSIONS (mm)	]					•						
Wheelbase	3450	4035	3450	4035	4035	4035	4035	4035	4035	4035	4035	4035
Overall length	5895	6100	5645	6229	6229	5970	6590	5970	6590	5970	6590	6559
Overall height	2370	2370	2370	2370	2370	3200	3200	3200	3200	3320	3320	2860
External width excluding door mirrors	2087	2087	2087	2087	2087	2085	2085	2085	2085	2085	2085	2206
Front overhang	948	948	948	948	948	948	948	948	948	948	948	948
Rear overhang, including rear light bar	1497	1117	1247	1246	1246	987	1607	987	1607	987	1607	1576
INTERNAL CONVERSION DIMENSIONS (mm)												
Volume (m²)	-	-	-	-	-	16	20	16	20	17	20	20
Conversion body length	2870	2670	3059	3644	2805	3480	4150	3480	4150	3480	4150	4100
Conversion body height	-	-	-	-	-	2235	2390	2235	2390	2350	2350	2250
Conversion body width	2026	2026	2026	2026	2026	2057	2057	2057	2057	2057	2085	2100
WEIGHTS (kg) Gross vehicle weight	3500	3500	3500	3500	3500	3500	3500	3500	3500	3500	3500	3500
Kerb weight (without driver) 1	2278	2467	2059	2134	2247	2352	2521	2449	2517	2535	2621	2197
Maximum payload (without driver in the vehicle) <sup>2</sup>	1222	1033	1441	1366	1253	1148	979	1051	983	965	879	1303
Maximum front axle weight	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850
Maximum rear axle weight	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000
Gross train weight	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000
Maximum braked towing weight <sup>3</sup>	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500
Maximum towball weight	100	100	100	100	100	100	100	100	100	100	100	100
DRIVETRAIN	]											
Number of cylinders	4	4	4	4	4	4	4	4	4	4	4	4
Maximum power CEE KW (bhp) @ rpm	120 (161) @ 3750rpm	120 (161) @ 3750rpm	120 (161) @ 3750rpm	120 (161) @ 3750rpm	120 (161) @ 3750rpm	120 (161) @ 3750rpm	120 (161) @ 3750rpm	120 (161) @ 3750rpm	120 (161) @ 3750rpm	120 (161) @ 3750rpm	120 (161) @ 3750rpm	120 (161) @ 3750rpm
Maximum torque Nm @ rpm	350 @ 1750rpm	350 @ 1750rpm	350 @ 1750rpm	350 @ 1750rpm	350 @ 1750rpm	350 @ 1750rpm	350 @ 1750rpm	350 @ 1750rpm	350 @ 1750rpm	350 @ 1750rpm	350 @ 1750rpm	350 @ 1750rpm
Bore and Stroke (mm)	85 x 88	85 x 88	85 x 88	85 x 88	85 x 88	85 x 88	85 x 88	85 x 88	85 x 88	85 x 88	85 x 88	85 x 88
Maximum road speed (mph)	99	99	99	99	99	99	99	99	99	99	99	99
Euro Status	Euro 6	Euro 6	Euro 6	Euro 6	Euro 6	Euro 6	Euro 6	Euro 6	Euro 6	Euro 6	Euro 6	Euro 6
FUEL CONSUMPTION (EU Directive 715/2007/CE)												
Urban L/100km (MPG)	7.1 (39.8)	7.1 (39.8)	7.1 (39.8)	7.1 (39.8)	7.1 (39.8)	7.1 (39.8)	7.1 (39.8)	7.1 (39.8)		7.1 (39.8)	7.1 (39.8)	7.1 (39.8)
Extra urban L/100km (MPG)	6.3 (44.8)	6.3 (44.8)	6.3 (44.8)	6.3 (44.8)	6.3 (44.8)	6.3 (44.8)	6.3 (44.8)	6.3 (44.8)	6.3 (44.8)	6.3 (44.8)	6.3 (44.8)	6.3 (44.8)
Combined MPG L/100km (MPG)	6.6 (42.8)	6.6 (42.8)	6.6 (42.8)	6.6 (42.8)	6.6 (42.8)	6.6 (42.8)	6.6 (42.8)	6.6 (42.8)	6.6 (42.8)	6.6 (42.8)	6.6 (42.8)	6.6 (42.8)
EMISSIONS INFORMATION		1		4	1 4	4	1 4	1 4	4			
Carbon dioxide (CO2) emissions	173	173	173	173	173	173	173	173	173	173	173	173

 $<sup>^{\</sup>rm 1}$  Kerb weight is calculated including oil, water, lubricants, tools, spare wheel and 90% full fuel tank

 $^{\rm 3}\,\text{Maximum}$  recommended towing weight within limits of GTW

<sup>&</sup>lt;sup>2</sup> When calculating the payload, an average figure for the driver is 75kg (Please note: driver's weights will vary). Additional passengers and accessories must be taken into account. It is the operator's responsibility that the plate weights are not exceeded.

### 8. FURTHER

### **INFORMATION**

### MANUFACTURER'S RECOMMENDED RETAIL PRICE ON THE ROAD

	RELAY VAN On the Road Costs
Delivery to Dealer & Number Plates	£620.83
VAT	£124.17
Vehicle Excise Duty	£250.00
First Registration Fee	£55.00
Total OTR costs	£1,050.00

VAT is calculated at 20%

VAT is not applicable to cars sold in the Channel Islands

### **CITROËN 3 YEARS OF WARRANTY**

All vehicles first registered in the UK and purchased from a UK Citroën Dealer benefit from a Citroën 2 - Year unlimited mileage manufacturer's warranty and a free optional additional 1 year of warranty provided by the Citroën Dealer Network in the UK. This additional warranty carries a mileage limit of 100,000 miles from first registration and is dependent upon the manufacturer's recommended servicing being carried out at the specified time or distance intervals. For full terms and conditions, please consult your

### CITROËN ASSISTANCE

In response to a free telephone call in the UK, Citroën Assistance brings rapid expert roadside assistance to you in an emergency. It comes free of charge for a full year, from date of vehicle registration, and operates 24 hours a day in all parts of the UK and Europe. Services include nationwide recovery for both van and passengers, a home call service, replacement vehicle, hotel accommodation and vehicle storage if required. You can also purchase additional Citroën Assistance via your local Citroën Dealer at any time. Please note, Citroën Assistance only applies to incidents covered by the new vehicle warranty, and excludes non-vehicle faults, such as running out of fuel, mis-fuelling, loss of

#### CITROËN FINANCIAL SERVICES

Free 2Move have a number of financial products designed to help you afford the Citroën of your choice. We can arrange a finance plan quicky and conveniently. What's more, it will be as suited to your needs as your new Citroën. Our finance plans combine all the know how of a company that has an extensive knowledge of the car market with a financial service you can trust. Tell your Citroën dealer what you want and let us do the rest. Just ask for a free, no obligation quote. Written quotations are available on request from

#### CITROEN SERVICING

Available up to one year from your vehicle's registration date, but before its first chargeable service, a Citroën Servicing package enables you to pay in advance for:

- '- Scheduled Servicing^
- '- Annual Service(s)^ for vehicles with a two year service plan
- '- Brake Fluid Replacement^

This package can be personalised depending on your needs, with options ranging from 12 to 60 months and 10,000 to 100,000 miles.

### **TERMS AND CONDITIONS**

Every endeavour has been made to ensure that the information, details and descriptions set out in this literature are correct at the time of going to print. It is our policy to continually improve our vehicles in every way and we reserve the right to modify our vehicles' price, specification (including colour), equipment, accessories and characteristics or to discontinue any model, without notice, at any time. To avoid any misunderstandings you are advised to check with your Citroën dealer the specification (including colour), equipment accessories and equipment relating to any Citroën vehicle and the exact cost and availability prior to ordering. Where a feature is described as an option in this publication it should be assumed that it is at extra cost unless specifically stated otherwise.

Issued by Sales and Marketing, Citroën UK Ltd, Pinley House, 2 Sunbeam Way, Coventry CV3 1ND.

For further information call Citroën Fleet Connect on 0800 023 4000 or visit our website at www.citroen.co.uk.

