



**PURE VANS**

**Telephone - 01633-212944**

**Email - sales@purevans.com**

**www.purevans.com**



## CITROËN RELAY LOW FLOOR LUTON

TECHNICAL SPECIFICATIONS

READY TO RUN  
INSPIRED BY PRO



UP TO  
**1300kg**  
PAYLOAD



UP TO  
**20m<sup>3</sup>**  
LOAD VOLUME

MODEL	LOW FLOOR LUTON
INTERNAL LENGTH	4100 mm
INTERNAL WIDTH	2100 mm
INTERNAL HEIGHT	2250 mm
OVERALL HEIGHT	2860 mm
OVERALL LENGTH	6559 mm
PAYLOAD*	1300 kg



### BODY

Exterior framework extruded aluminium, rear fitted with a slim line back frame to give a rear aperture width of 1985mm and a height of 2130mm.

Main aluminium framing anodised silver, all panels and over cab gloss white, rear wheel arches powder coated satin black, rear back frame and rear member galvanised.

### SAFETY

Full European Type approved bulkhead fitted, side marker lamps, high level brake lamp, rear lamps recessed within a steel bumper bar, shaped around the number plate panel to conform to ECVTA frame work regulation.

### AIR MANAGEMENT

The body front finished with one piece, three dimensional air deflector extending over the cab giving stylish appearance and forming the load space over cab.

### ROOF

Roof panelled with a one-piece glass fibre sheet opal in colour (giving good day light to load space).

### BODY PANELS

Panel Thickness: 14mm lightweight composite panel.

Panel Colour: White.

Side walls, single sheet lightweight, Glass Reinforced Polyester composite panel, constructed from high density RECYCLABLE foam giving a rivet less exterior panel finish.

### REAR

Lightweight GRP (as per sidewalls)

Double doors opening 270 degree, doors fitted with stainless steel cam locks, hinges and door open retainers.

### FLOOR

Load space having flat slip resistant plywood floor. Plywood is made of renewable wood material which is easy to RECYCLE.

### INTERIOR

The wheel arches boxed off to improve loading and giving a clear space between boxes of 1.42m.

Side walls equipped with four full length lashing rails, body having two PIR activated LED interior work lamps.

### ADDITIONAL INFO

Designed to meet European standards, Citroën Relay Platform cab.

Citroen: e11\*2007/46\*4398\*00

\*Payload (excluding driver) is calculated including oil, water, lubricants, tools, spare wheel and 90% full fuel tank. When calculating the payload, an average figure for the driver is 75kg (Please note: drivers' weights will vary). Additional passengers and accessories must be taken into account it is the operator's responsibility that the plate weights are not exceeded. Please note: Masses and Dimensions are subject to 8% engineering tolerances.



**PURE** VANS

**Telephone - 01633-212944**

**Email - sales@purevans.com**

**[www.purevans.com](http://www.purevans.com)**